

Aberdeen, December
2010

The following is a list of papers, books, thesis, etc. on drumlins or closely related topics that I have put together in the past few years. It only includes publications in English. I apologize if the format of the references is not always homogeneous (especially for non-journal publications) and if typing mistakes occur. For all references before 1984, John Menzies booklet "Drumlins: a bibliography" published in 1984 is certainly a much better source than the present database.

At the end of each reference that I had a chance to read I added some extra info:

1. whether it is mostly a research-based (RS) or a review (RV) publication
2. the geographical studied area
3. a classification according to their cut: as mostly sedimentological (S), mostly morphometrical (M), mostly genetical (G), mostly palaeo-geographical (P) or various combinations
4. whether I have a pdf copy of it (* means I do)

Both point 1 and 3 are highly subjective and point 2 is not always accurate.

If you find any relevant mistake or wish to improve this list by adding new titles that I have forgotten about, adding other languages references or have some pdf of papers that I am missing, please contact me at m.spagnolo@abdn.ac.uk

Any help will be highly appreciated.

Thank you,

Matteo

1. Aario, R. (1977). Associations of flutings, drumlins, hummocks and transverse ridges. *GeoJournal* **1.6**, 65-72.
2. Aario, R. (1977). Classification and terminology of morainic landforms in Finland. *Boreas* **6**, 87-100. RV; Finland; SM; *
3. Aario, R. (1977). Flutings, drumlins and Rogen-landforms. *Nordia* **2**, 5-14.
4. Aario, R. (1987). Drumlins of Kuusamo and rogen-ridges of Ranua, northeast Finland. In: Menzies, J. & Rose, J., *Drumlin Symposium*, Balkema: Rotterdam, 87-101. RS; S;
5. Aario, R., Forsstrom, L. , Lahermo, P. (1974). Glacial landforms with special reference to drumlins and fluting in Koillismaa, Finland. *Geological Survey of Finland Bulletin* **273**, 30 pp.
6. Aario, R., Heikkinen, O. (1992). The third international drumlin symposium - introduction. *Geomorphology* **6**, 1-9. RV; *

7. Aario, R., Peuraniemi, V. (1992). Glacial dispersal of till constituents in morainic landforms of different types. *Geomorphology* **6**, 9-25. RS; Finland; S; *
8. Alden, W. C. (1905). The drumlins of southeastern Wisconsin. *United States Geological Survey Bulletin*, 273.
9. Alden, W. C. (1911). Radiation of glacial blow as a factor in drumlin formation. *Geological Society of American Bulletin* **22**, 733-734.
10. Alden, W. C. (1918). Quaternary geology of southeastern Wisconsin. *United States Geological Survey Professional Paper* **106**, 247-256.
11. Alden, W. C. (1925). The physical features of Central Massachusetts. *United States Geological Survey Bulletin* **760**, 13-105.
12. Alley, R. B., Blankenship, D.D., Bentley, C.R. , Rooney, S.T. (1987). Deformation of till beneath ice stream B, West Antarctica. *Letter to Nature, Nature* **322**, 57-59.
13. Amark, M. (1980). Glacial flutes at Isfallsglaciären, Tarfala, Swedish Lapland. *Geologiska Föreningens i Stockholm Förhandlingar* **102**, 251-259.
14. Andersen, B. G. (1965). The Quaternary of Norway. In: *The Quaternary, K. Rankama. Interscience*, 1, 91-138.
15. Andersen, S. A. (1931). The waning of the last continental glacier in Denmark as illustrated by varved clay and eskers. *Journal of Geology* **34**, 609-624.
16. Andersen, W. F. (1974). Factors influencing the measured properties of Glasgow region till. *Ground Engineering* **7**, 20-27.
17. Andrews, J. T., King, C.A.M. (1968). Comparative till fabrics and till fabric variability in a till sheet and a drumlin: a small scale study. *Proceedings of the Yorkshire Geological Society* **36**, 435-461.
18. Armstrong, J. E., Tipper, H.W. (1948). Glaciation in north central British Columbia. *American Journal of Science* **246**, 283-310. RS; North Central British Columbia; MG; *
19. Armstrong, M., Paterson, I.B. , Browne, M.A.E. (1985). Geology of the Perth and Dundee District. *Memoirs British Geological Survey Sheets 48W, 48E, 49, Chap 9*, 65-93.
20. Aronow, S. (1959). Drumlins and related streamline features in the Warwick-Tokio area, North Dakota. *American Journal of Science* **257**, 191-203. RS; Warwick-Tokio, North Dakota;
21. Arthurton, R. S., Wadge, A.J. (1981). Geology of the country around Penrith. *Geological Survey of Great Britain, H.M.S.O. Memoir for the 1:50,000 geological sheet 24*.
22. Attig, J. W., Mickelson, D.M. , Clayton, L. (1989). Late-Wisconsin landform distribution and glacier-bed conditions in Wisconsin. *Sedimentary Geology* **62**, 399-405. RS; Wisconsin; P; *
23. authors, S. (2001). Abstracts of papers and posters. *Piotrowski, J. & Wysota, W. Drumlins: the unsolved problem*, 56 pp. *

24. authors, S. (2001). Field excursion guide book. *Piotrowski, J. & Wysota, W. Drumlins: the unsolved problem*, 1-100.
25. Aylsworth, J. M., Shilts, W.W. (1989). Bedform of the Keewatin Ice Sheet, Canada. *Sedimentary Geology* **62**, 407-428. *
26. Bailey, L. W. (1898). Report on the geology of southwest Nova Scotia embracing the counties of Queen's, Shelburne, Yarmouth, Digby and part of Annapolis. *Geological Survey of Canada, Annual Report, 9M*, 628, 154 pp.
27. Balchin, W. G. V. (1971). Swansea and its region. *B.A.A.S. Swansea meeting 1971, Ed. W.G.V. Balchin*.
28. Baranowski, S. (1969). Some remarks on the origin of drumlins. *Geographia Polonica* **17**, 197-208.
29. Baranowski, S. (1970). The origin of fluted moraines at the fronts of contemporary glaciers. *Geografiska Annaler* **52A**, 68-75.
30. Barkla, H. (1935). The drumlins of Turi (Estonia). *Annales Naturalists Soc. Of Tartu University* **42**, 11 pp.
31. Barnett , F. (1971). Morphometry of landforms; drumlins. *Army Natick Labs Mass Earth Sciences Lab: technical report, ES-63*, 34 pp. RS; New York State and S Germany; M; *
32. Barton, G. H. (1893). Discussion on 'The origin of drumlins' by Upham. *Porceedings of the Boston Natural History Society* **26**, 23-25.
33. Barton, G. H. (1895). Glacial origin of channels on drumlins. *Bullettin of the Geological Society of America* **6**, 8-13.
34. Benn, D. I., Clapperton, C.M. (2000). Pleistocene glacitectonic landforms and sediments around central Magellan Strait, southernmost Chile: evidence for fast outlet glaciers with cold-based margins. *Quaternary Science Reviews* **19**, 591-612. RS; central Magellan Strait, S-most Chile; P; *
35. Benn, D. I., Evans, D.J.A. (1996). The interpretation of subglacially deformed materials. *Quaternary Science Reviews* **15**, 23-52. RS; various, Europe; S; *
36. Benn, D. I., Evans, D.J.A. (2006). Subglacial megafloods: outrageous hypothesis or just outrageous? In: Knight, P.G., *Glacier Science and Environmental Change*, Blackwell Publishing, Malden, Oxford, Victoria, 8, 42-46. RV;
37. Bennett, M. R. (1995). The morphology of glacially fluted terrain: examples from the Northwest Highlands of Scotland. *Proceedings of the Geologists' Association* **106**, 27-38. RS; NW Highlands, Scotland; M;
38. Bennie, J. (1869). On the surface geology of the district around Glasgow, as indicated by the journals of certain bores. *Transaction of the Geological Society of Glasgow* **3**, 133-148.
39. Bentley, M. J., Sugden, D.E., Hulton, N.R.J. , McCulloch, R.D. (2005). The landforms and pattern of deglaciation in the Strait of Magellan and Bahia Inutil,

southernmost South America. *Geografiska Annaler* **87**, 313-333. RS; Strait of Magellan & Bahia Inutil, S-most S. America; P; *

40. Bergquist. (1942). The distribution of drumlins in Michigan. *Papers, Michigan Academy of Science, Arts, and Letters* **27**, 451-464.
41. Bergquist. (1943). New drumlin area in Cheboygan and Presque Isle counties, Michigan. *Papers, Michigan Academy of Science, Arts, and Letters* **28**, 481-485.
42. Bird, J. B. (1953). The glaciation of central Keewatin, Northwest Territories, Canada. *American Journal of Science* **251**, 215-230. RS; Central Keewatin, NW Territories, Canada; *
43. Blake, W. (1956). Landforms and topography of the Lake Melville area, Labrador, Newfoundland. *Geography Bulletin, Department of Mines and Technical Survey, Ottawa, Canada* **9**, 93-97.
44. Blankenship, D. D., Bentley, C.R., Rooney, S.T. , Alley, R.B. (1986). Seismic measurements reveal a saturated porous layer beneath an active Antarctic ice stream. *Letter to Nature, Nature* **322**, 54-57.
45. Bluemle, J. P., Lord, M.L. , Hunke, N.T. (1993). Exceptionally long, narrow drumlins formed in subglacial cavities, North Dakota. *Boreas* **22**, 15-24. RS; North Dakota, USA; SMG;
46. Boardman, J. (1975). Morphometric analysis of drumlins. *Classroom Geographer*, 8-13.
47. Boardman, J. (1981). Field Guide to Eastern Cumbria. *Quaternary Research Association, eastern Cumbria field meeting, 15-18 May 1981*.
48. Boots, B. N., Burns, R.K. (1984). Analyzing the spatial distribution of drumlins: a two-phase mosaic approach. *Journal of Glaciology* **30**, 302-307. RS; Vale of Eden (Cumbria), UK and southern Ontario (Canada); M; *
49. Boulton, G. S. (1975). Processes and patterns of subglacial sedimentation: a theoretical approach. In: *Ice Ages: Ancient and Modern. Ed. A.E. Wright & F. Moseley, Geology Journal Special issue*, 6, 7-42.
50. Boulton, G. S. (1982). Subglacial processes and the development of glacial bedforms. *R. Davidson-Arnott, W. Nickling & B. D. Fahey: Research in Glacial, Glaciofluvial, and Glacio-lacustrine Systems*. RS; G;
51. Boulton, G. S. (1986). A paradigm shift in glaciology? *News and Views, Geophysics, Nature* **322**, 18.
52. Boulton, G. S. (1987). A theory of drumlin formation by subglacial sediment deformation In: *Menzies. J. & Rose, J., Drumlin Symposium, Balkema: Rotterdam*, 25-80. RS; G;
53. Boulton, G. S., Clark, C.D. (1990). A highly mobile Laurentide ice sheet revealed by satellite images of glacial lineations. *Nature* **346**, 813-817. RS; Canada; P; *
54. Boulton, G. S., Jones, A.S. , Kenning, M.J. (1977). A British ice-sheet model and patterns of glacial erosion and deposition in Britain. *British Quaternary Studies, Recent Advances. Ed. F.W. Shotton*, 231-246.

55. Boulton, G. S., Smith, J.D., Jones, A.S., Newsome, J. (1985). Glacial geology and glaciology of the last mid-latitude ice sheets. *Journal of the Geological Society of London* **142**, 447-474. *
56. Bowen, D. G. (1957). Wales. A physical, historical and regional geography. *Methuen & Co., London.*
57. Bowen, D. G. (1970). South-east and central South Wales. In: *The Glaciations of Wales and adjoining regions*. Ed. C.A. Lewis. *Longman*, 9, 197-227.
58. Boyce, J. I., Eyles, N. (1991). Drumlins carved by deforming till streams below the Laurentide ice sheet. *Geology* **19**, 787-790. RS; Peterborough field, Canada; SMG; *
59. Bradwell, T., Stoker, M. , Larter, R. (2007). Geomorphological signature and flow dynamics of The Minch palaeo-ice stream, northwest Scotland. *Journal of Quaternary Science* **22**, 609-617. RS; The Minch, NW Scotland; *
60. Brigham, A. P. (1931). Glacial problem in central New York. *American Association of American Geographer* **21**, 179-206.
61. Briner, J. P. (2007). Supporting evidence from the New York drumlin field that elongate subglacial bedforms indicate fast ice flow. *Boreas* **36**, 143-147. RS; NYS, USA; M; *
62. Brown, R. M. (1902). The clays of the Boston Basin. *American Journal of Science* **14**, 445-450.
63. Bryce, J. (1838). On the evidences of diluvial action in the North of Ireland. *Journal of the Royal Geological Society of Ireland* **1**, 34-44. RS; Northern Ireland; G; *
64. Burgess, I. C., Holliday, D.W. (1979). Geology of the country around Brough-under-Stainmore. In: *Geological Survey of Great Britain*, H.M.S.O., 2, 91-99.
65. Burke, M. J. (1969). The Forth Valley: an ice-moulded lowland. *Transaction of the Institut of British Geography* **48**, 51-59.
66. Carl, J. D. (1978). Ribbed moraine-drumlin transition belt, St. Lawrence Valley, New York. *Geology* **6**, 562-566. RS; New York State, USA; GP; *
67. Carney, F. (1908). Glacial erosion on Kelleys Island, Ohio. *Bullettin of the Geological Society of America* **20**, 640-645.
68. Carruthers, R. G., Burnett, G.A. , Anderson, W. (1932). The geology of the Cheviot Hills. *Memoirs of the Geological Survey of England and Wales*.
69. Chamberlain, T. C. (1883). Terminal moraines of the second glacial epoch. *United States Geological Survey, 3rd Annual Report*, 291-402.
70. Chamberlin, T. C. (1893). The horizon of drumlin, osar and kame formation. *Journal of Geology* **1**, 255-267.
71. Chamberlin, T. C. (1894). Glacial phenomena of North America. In: *J. Geikie, The Great Ice Age and its relation to the antiquity of Man, 3rd edition, chapter 41*, 724-775.

72. Chamberlin, T. C. (1894). Proposed genetic classification of Pleistocene glacial formations. *Journal of Geology* **2**, 517-538.
73. Chamberlin, T. C. (1895). Recent glacial studies in Greenland. *Bulletin of the Geological Society of America* **6**, 199-220.
74. Chapman, L. J. (1970). The Late-Weichselian glaciations of the Erne Basin. *Irish Geographer* **6**, 153-161.
75. Charlesworth, J. K. (1926). The glacial geology of the north-west of Ireland. *Proceedings of the Royal Irish Academy* **36**, 174-314.
76. Charlesworth, J. K. (1926). The glacial geology of the Southern Uplands of Scotland, west of Annandale and upper Clydesdale. *Transaction of the Royal Society of Edinburgh* **60**, 1-23.
77. Charlesworth, J. K. (1927). The post-glacial erosion theory of drumlins. *Geological Magazine* **64**, 157-161. RV; SMG; *
78. Charlesworth, J. K. (1939). Some observations on the glaciation of north-east Ireland. *Proceedings of the Royal Irish Academy* **45**, 255-295.
79. Charlesworth, J. K. (1957). Drumlins. In: *The Quaternary Era*, E. Arnold Ltd publishers, London, chapter 9, 389-403. RV;
80. Charlesworth, J. K. (1963). Historical Geology of Ireland. *Oliver & Boyd, Edinburgh & London*, 448-470.
81. Charlesworth, J. K. (1967). The drumlins of East Down, Ireland. *Journal of Glaciology* **6**, 960-961. East Down, Ireland; *
82. Chorley, R. J. (1959). The shape of drumlins. *Journal of Glaciology* **3**, 339-344. RS; Winsconsin, USA; M;
83. Clapp, F. G. (1908). Complexity of the glacial period in north-eastern New England. *Bulletin of the Geological Society of America* **18**, 505-556.
84. Clapperton, C. M. (1977). The Northern Highlands of Scotland. *10th INQUA Congress Excursion Guide, A10, C10*, 44pp.
85. Clapperton, C. M. (1989). Asymmetrical drumlins in Patagonia, Chile. *Sedimentary Geology* **62**, 387-398. RS; Patagonia, Chile; SM; *
86. Clapperton, C. M., Sugden, D.E. (1977). The Late Devensian glaciation of north-east Scotland. In: *Gray & Lowe, Studies in the Scottish Lateglacial Environment*, Pergamon Press, 1-13.
87. Clark, C. D. (1999). Glaciodynamic context of subglacial bedform generation and preservation. *Annals of Glaciology* **28**, 23-32. RS; G; *
88. Clark, C. D., Meehan, R.T. (2001). Subglacial bedform geomorphology of the Irish Ice Sheet reveals major configuration changes during growth and decay. *Journal of Quaternary Science* **16**, 483-496. RS; Ireland; MP; *
89. Clark, C. D., Wilson, C. (1994). Spatial analysis of lineaments. *Computers & Geosciences* **20**, 1237-1258. RS; M; *

90. Clark, R. (1967). A contribution to glacial studies in the Malham Tarn area. *Field Studies* **2**, 479-491.
91. Clarke, G. K. C., Leverington, D.W., Teller, J.T., Dyke, A.S. , Marshall, S.J. (2005). Fresh argument against the Shaw megaflood hypothesis. A reply to comments by David Sharpe on Paleohydraulics of the last outburst flood from glacial Lake Agassiz and the 8200 BP cold event. *Quaternary Science Reviews* **24**, 1533-1541. RS; G; *
92. Clayton, K. M. (1974). Zones of glacial erosion. *Institut British Geogr special publications* **7**, 163-176.
93. Clayton, K. M. (1981). Explanatory description of the landforms of the Malham area. *Field Studies* **5**, 389-423.
94. Close, M. H. (1864). Notes on the general glaciation of the rocks in the neighbourhood of Dublin. *Journal of the Royal Geological Society of Ireland* **1**, 3-13. RS; Dublin, Ireland; SMGP; *
95. Close, M. H. (1867). Notes on the general glaciation of Ireland. *Journal of the Royal Geological Society of Ireland* **1**, 207–242. RS; Ireland; SMGP; *
96. Close, M. H. (1876). General glaciation of Ireland. *Geological Magazine* **7**, 234-235.
97. Close, M. H. (1878). The physical geology of the neighbourhood of Dublin. *Journal of the Royal Geological Society of Ireland* **5**, 49-77.
98. Colgan, P. M., Mickelson, D.M. (1997). Genesis of streamlined landforms and flow history of the Green Bay Lobe, Winsconsin, USA. *Sedimentary Geology* **111**, 7-25. RS; Green Bay Lobe, Winsconsin, USA; P; *
99. Coudé, A. (1989). Comparative study of three drumlin fields in western Ireland: geomorphological data and genetic implications. *Sedimentary Geology* **62**, 321-335. RS; W Ireland; MG; *
100. Crosby, I. B. (1934). Evidence from drumlins concerning the glacial history of Boston basin. *Geological Society of American Bulletin* **45**, 135-158.
101. Crosby, I. B., Ballard, H.O. (1894). Distribution and probable age of the fossil shells in the drumlins of the Boston Basin. *American Journal of Science* **48**, 486-496. RS; Boston Basin, US;
102. Crozier, M. J. (1975). On the origin of the Peterborough drumlin field: testing the dilatancy theory. *Canadian Geographer* **19**, 181-195. RS; Peterborough County, Ontario; MG;
103. Cullingford, R. A., Gregory, M.J. (1978). Till ridges in Wensleydale, Yorkshire. *Proceeding of the Geological Association* **89**, 67-79.
104. Cunningham Craig, E. H., Wright, W.B. , Bailey, E.B. (1911). The geology of Colonsay and Oronsay, with part of the Ross of Mull. *Memoirs of the Geological Survey of Scotland*, 8, 109 pp.

- 105.Dakyns, J. R. (1879). Lenticular hills of glaciated drift. *Geological Magazine* **6**, 382-383. RS; UK; *
- 106.Dardis, G. F. (1981). Stagnant-ice topography and its relation to drumlin genesis, with reference to south-central Ulster. *Abstract*, 2, 183.
- 107.Dardis, G. F. (1985). Till facies associations in drumlins and some implications for their mode of formation. *Geografiska Annaler* **67A**, 13-22. RS; central Ulster, Northern Ireland; SG; *
- 108.Dardis, G. F. (1987). Sedimentology of late-Pleistocene drumlins in south-central Ulster, Northern Ireland *In: Menzies. J. & Rose, J., Drumlin Symposium, Balkema: Rotterdam*, 215-224. RS; S-central Ulster, N Ireland; S;
- 109.Dardis, G. F., Hanvey, P.M. (1994). Sedimentation in a drumlin lee-side subglacial wave cavity, northwest Ireland. *Sedimentary Geology* **91**, 97-114. RS; NW Ireland; S; *
- 110.Dardis, G. F., McCabe, A.M. (1983). Facies of subglacial channel sedimentation in late-Pleistocene drumlins, Northern Ireland. *Boreas* **12**, 263-278. *
- 111.Dardis, G. F., McCabe, A.M. (1987). Subglacial sheetwash and debris flow deposits in late-Pleistocene drumlins, Northern Ireland. *In: Menzies. J. & Rose, J., Drumlin Symposium, Balkema: Rotterdam*, 225-240. RS; N Ireland; S;
- 112.Dardis, G. F., McCabe, A.M. (1994). Subglacial processes, sediments and landforms - an introduction. *Sedimentary Geology* **91**, 1-5. RV; *
- 113.Dardis, G. F., McCabe, A.M., Mitchell, W.I. (1984). Characteristics and origins of lee-side stratification sequences in Late Pleistocene drumlins, northern Ireland. *Earth Surface Processes and Landforms* **9**, 409-424. RS; northern Ireland; S; *
- 114.Davies, G. L. (1956). The Parish of North Uist. *Scottish Geographical Magazine* **72**, 66-68.
- 115.Davis, W. M. (1882). Glacial erosion. *Proceeding of the Boston Society of Natural History* **22**, 40-42.
- 116.Davis, W. M. (1884). Drumlins. *Science* **4**, 418-420. RV; *
- 117.Davis, W. M. (1884). The distribution and origin of drumlins. *American Journal of Science* **28**, 407-416. RV; -; *
- 118.Davis, W. M. (1893). Discussion on 'The origin of drumlins' by Upham. *Proceeding of the Boston Society of Natural History* **26**, 17-23.
- 119.Day, J. B. W. (1970). Geology of the country around Bewcastle. *Memoirs of the Geological Survey of Great Britain*, 357pp.
- 120.De Geer, G. (1895). (Drumlin in Sweden). *Geologiska Fureningsens I Stockholm Forhandlingar* **164**, 212-213.
- 121.De Jong, M. G. G., Rappol, M., Raupke, J. (1982). Sedimentology and geomorphology of drumlins in western Allgau, south Germany. *Boreas* **11**, 37-45. RS; Allgau, S Germany; S; *

122. Dean, W. G. (1953). The drumlinoid landforms of the 'Barren Grounds'. *Canadian Geographer* **3**, 19-30. *
123. Dean, W. G. (1956). Glacial features of the Hearst-Cochrane map-sheet area. *Canadian Geographer* **8**, 35-45.
124. Deane, R. E. (1950). Pleistocene geology of the Lake Simco District, S. Ontario. *Memoirs of the Geological Survey of Canada*, 256.
125. Devereux, C. M. (1974). Quantitative geographical fieldwork with A-level students. *Classroom Geographer*, 10-14.
126. Dickson, J. H., Jardine, W.G. , Price, R.J. (1976). Three late-Devensian sites in west-central Scotland. *Nature* **262**, 43-44. RS; West-central Scotland; S; *
127. Dionne, J. C. (1987). Tadpole rock (rocdrumlin): a glacial streamline moulded form. In: Menzies. J. & Rose, J., *Drumlin Symposium*, Balkema: Rotterdam, 149-159. RS;
128. Dixon, E. E. L., Maden, J., Trotter, F.M., Hollingworth, S.E. , Tonks, L.H. (1926). The geology of the Carlisle, Longtown and Silloth district. *Memoirs of the Geological Survey of England and Wales*, 113 pp.
129. Donner, J. J. (1965). The Quaternary of Finland. In: *The Quaternary*, K. Rankama. Interscience, 1, 199-272.
130. Doornkamp, J. C., King, C.A.M. (1971). Forms of glacial and fluvioglacial deposition. *Numerical analysis in geomorphology: an introduction*, 14. RS; (1) Appleby, (2) Carlisle, (3) New York State; M;
131. Drew, D. P., Skevington, D. (1972). Geology and geomorphology of the area around Clew Bay, Co. Mayo: an introduction. *Geographical Viewpoint* **2**, 317-325.
132. Dunlop, P., Shannon, R., McCabe, M., Quinn, R., Doyle, E. (2010). Marine geophysical evidence for ice sheet extension and recession on the Malin
133. Dwerryhouse, A. R. (1923). The glaciation of north-eastern Ireland. *Quarterly Journal of the Geological Society* **79**, 352-421.
134. Dyke, A. S., Dredge, L.A. , Vincent, J.-S. (1982). Configuration and dynamics of the Laurentide ice sheet during the late Wisconsin maximum. *Geographie Physique et Quaternaire* **36**, 5-14.
135. Dyke, A. S., Morris, T.F. (1988). Drumlin fields, dispersal trains, and ice streams in Arctic Canada. *Canadian Geographer* **32**, 86-90. RS; Prince of Wales Island, Canada; P; *
136. Dyson, J. L. (1952). Ice-ridge moraines and their relation to glaciers [Montana]. *American Journal of Science* **250**, 204-211.
137. Earp, J. R., MacGraw, D., Poole, E.G., Land, D.H. , Whiteman, A.J. (1961). The geology of the country around Clitheroe and Nelson. *Memoirs of the Geological Survey of Great Britain*, 346 pp.
138. Eastwood, T. (1930). The geology of the Maryport district. *Memoirs of the Geological Survey of Great Britain*, 137 pp.

139. Eastwood, T., Dixon, E.E.L., Hollingworth, S.E. , Smith, B. (1931). The geology of the Whitehaven and Workington district. *Memoirs of the Geological Survey of England and Wales*, 304 pp.
140. Ebers, E. (1926). Die bisherige Ergebnisse der Drumlinforschung. Eine Monographie der Drumlins. *Neues Jahrbuch Geologie und Palaontologie* **53**, 153-270.
141. Eggleston, J. W. (1902). Some glacial remains near Woodstock, Connecticut. *American Journal of Science* **13**, 403-408.
142. Elder, S., McCall, R.J.S., Neaves, W.D. , Pringle, A.K. (1935). The drumlins of Glasgow. *Trasaction of the Geological Society of Glasgow* **19**, 285-287.
143. Ellwanger, D. (1992). Lithology and stratigraphy of some Rhine glacier drumlins (south German Alpine Foreland). *Geomorphology* **6**, 79-88. RS; Rhine glacier (South German Alpine Foreland); S; *
144. Embleton, C. (1970). North-eastern Wales. In: *The Glaciations of Wales and adjoining regions*. Ed. C.A. Lewis. Longman, 3, 59-82.
145. Embleton, C., King, C.A.M. (1968). Glacial and periglacial geomorphology. St. Martin's Press, 608 pp.
146. Embleton, C., King, C.A.M. (1975). Glacial geomorphology and dynamics in the eastern parts of the Baltic shield interpreted using landsat imagery. *Edward Arnold, London*. RV;
147. Evans, D. J. A. (2010). Defending and testing hypotheses: a response to John Shaw's paper 'In defence of the meltwater (megaflood) hypothesis for the formation of subglacial bedform fields'. *Journal of Quaternary Science* **25**, 822-823. RV; G; *
148. Evans, D. J. A., Twigg, D.R. (2002). The active temperate glacial landsystem: a model based on Breioamerkurjokull and Fjallsjokull, Iceland. *Quaternary Science Reviews* **21**, 2143-2177. RS; Breioamerkurjokull and Fjallsjokull, Iceland; *
149. Evans, I. S. (1987). A new approach to drumlin morphometry. In: Menzies. J. & Rose, J., *Drumlin Symposium*, Balkema: Rotterdam, 119-130. RS; M;
150. Evans, I. S. (2010). Allometry, scaling and scale-specificity of cirques, landslides and other landforms. *Japanese Geomorphological Union Transactions* **31**, 133-153. RV; M; *
151. Evans, J., Dowdeswell, J.A. , O Cofaigh, C. (2004). Late Quaternary submarinebedforms and ice-sheet flow in Gerlache Strait and on the adjacent continental shelf, Antarctic Peninsula. *Journal of Quaternary Science* **19**, 397-407. RS; Gerlache Strait and adjacent inner continental shelf, Antarctic Peninsula; *
152. Evans, J., Pudsey, C.J., O Cofaigh, C., Morris, P. , Domack, E. (2005). Late Quaternary glacial history, flow dynamics and sedimentation along the eastern margin of the Antarctic Peninsula Ice Sheet. *Quaternary Science Reviews* **24**, 741-774. RS; E APIS;

153. Everest, J., Bradwell, T., Golledge, N. (2005). Subglacial landforms of the Tweed Palaeo-Ice Stream. *Scottish Geog. Journal* **121**, 163-173. RS; Tweed, UK; P;
154. Everett, W. (1976). Ice-movement direction from drumlin morphology: comments on the paper by Gravenor, C.P. *Journal of Glaciology* **17**, 158-159. RV; S; *
155. Everett, W. (1987). An analysis of the literature on drumlins and related streamlined forms. *Mphil thesis, University of London.* RV;
156. Everson, E. B. (1971). The relationship of macro- and microfabric of till and the genesis of glacial landforms in Jefferson County, Wisconsin. *Till/A Symposium, ed. R.P. Goldthwait, Ohio State University Press*, 345-364.
157. Everson, E. B., Schluchter, Ch., Rabassa, J. (1983). Tills and related deposits. *Proceeding of the INQUA Symposia on the Genesis and Lithology of Quaternary Deposits, USA 1981, Argentina 1982*, A.A. Balkema, Rotterdam, x + 454 pp.
158. Eyles, N. (2006). The role of meltwater in glacial processes. *Sedimentary Geology* **190**, 257-268. RV; -; G; *
159. Fairchild, H. L. (1897). Glacial geology of western New York. *Geological Magazine* **9**, 529-537. RS; New York State; SMG; *
160. Fairchild, H. L. (1905). Ice erosion theory a fallacy. *Bulletin of the Geological Society of America* **16**, 70.
161. Fairchild, H. L. (1907). Drumlin structure and origin. *Geological Society of American Bulletin* **17**, 702-706.
162. Fairchild, H. L. (1907). Drumlins of central western New York. *Bulletin of the New York State Museum* **111**, 391-443.
163. Fairchild, H. L. (1929). New York drumlins. *Proceeding of Rochester Academy of Science* **7**, 1-37.
164. Fairchild, H. L. (1932). New York moraines. *Bullettin of the Geological Society of America* **43**, 627-662.
165. Farrell, A. (2005). Ballyconneely Bay: an insight into the drumlins of Connemara. In: Coxon, P., *The Quaternary of West Central Ireland: Field Guide, Quaternary Research Association, London*, 138-143. RS; Connemara, Ireland; S; *
166. Finch, T. F. (1974). Glacial retreat of Late Midlandian ice in the Slieve Bernagh. *Science Proceedings, Royal Dublin Society A*, 253-263.
167. Finch, T. F. (1977). Western Ireland. *10th INQUA Congress Excursion Guide, C16*, 40 pp.
168. Finch, T., Synge, F.M. (1968). The drifts and soils of West Clare and the adjoining parts of Counties Kerry and Limerick. *Irish Geographer* **5**, 161-172.
169. Finch, T., Walsh, M. (1973). Drumlins of County Clare. *Proceedings of the Royal Irish Academy* **73**, 405-413.

170. Fisher, T. G., Spooner, I. (1994). Subglacial meltwater origin and subaerial meltwater modifications of drumlins near Morley, Alberta, Canada. *Sedimentary Geology* **91**, 285-298. RS; Morley, Alberta, Canada; S; *
171. Flinn, D. (1978). The glaciation of the Outer Hebrides. *Geological Journal* **13**, 195-199.
172. Flint, R. F. (1947). Glacial geology and the Pleistocene epoch. *John Wiley and Sons Inc., New York*, 121-126.
173. Flint, R. F. (1957). Drumlins. In: *Glacial and Pleistocene geology*, John Wiley and Sons Inc., New York, chapter 5, 66-72. RV;
174. Flint, R. F. (1971). Drumlins. In: *Glacial and Quaternary geology*, John Wiley and Sons Inc., New York, London, Sydney, Toronto, 5, 100-104. RV;
175. Fowler, A. (1926). The geology of Barwick-on-Tweed, Norham and Sremerston. *Memoirs of the Geological Survey of England*, 58 pp.
176. Fowler, A. C. (2000). An instability mechanism for drumlin formation. *Maltman, Hubbard, Hambrey Eds: Deformation of Glacial Materials*, Geological Society of London, Special Publications, **176**, 307-319. RS; G;
177. Fowler, A. C. (2010). The instability theory of drumlin formation applied to Newtonian viscous ice of finite depth. *Proceedings of the Royal Society A* **466**, 2673-2694. RS; G; *
178. Francek, M. (1991). A spatial perspective on the New York drumlin field. *Physical Geography* **12**, 1-18. RS; New York field, USA; M;
179. Francis, E., Forsyth, I.H., Read, W.A. , Armstrong, M.A. (1970). The geology of the Stirling district. *Memoirs of the Geological Survey of Great Britain, Sheet 13, 17-18*, 112 pp.
180. Frost, D. V., Holliday, D.W. (1980). Pleistocene and recent. In: *Geology of the country around Bellingham*, Memoirs of the Geological Survey of Great Britain, Scotland, 75-82.
181. Fuller, M. L. (1905). Geology of Fishers Island, New York. *Bullettin of the Geological Society of America* **16**, 367-390.
182. Fuller, M. L. (1914). Geology of Long Island New York. *United States Geological Survey, Professional Paper*, 82, 231 pp.
183. Funder, S. (1977). Glacial flutings in bedrock, an observation in East Greenland. *Bullettin of the Geological Society of Denmark* **27**, 9-13.
184. Geikie, A. (1900). The geology of central and western Fife and Kinross. *Memoirs of the Geological Survey of Scotland*, 182.
185. Geikie, J. (1873). On the glacial phenomena of the Long Island or Outer Hebrides. *Proceeding of the Geological Society* **29**, 532-545.
186. Geikie, J. (1894). The Great Ice Age and its relation to the antiquity of Man. *Edward Stanford, London, 3rd edition*, 850 pp.

187. Gillberg, G. (1976). Drumlins in southern Sweden. *Bullettin of the Geological Institute of the University of Uppsala* **6**, 125-189.
188. Glebicki, P., Marks, L. (2009). The origin of drumlins at Zbojno, Central Poland. *Geologija* **51**, 131-138. RS; Zbojno, Poland; SMG; *
189. Gluckert, G. (1973). Two large drumlin fields in Central Finland. *Fennia* **120**, 5-37. RS; two fields in Central Finland; SM;
190. Gluckert, G. (1974). The Kuusamo drumlin field, northern Finland. *Bullettin of the Geological Society of Finland* **46**, 37-42.
191. Gluckert, G. (1987). The drumlins of central Finland. In: Menzies, J. & Rose, J., *Drumlin Symposium*, Balkema: Rotterdam, 291-294. RS; central Finland; P;
192. Goldstein, B. (1989). Lithology, sedimentology, and genesis of the Wadena drumlin field, Minnesota, United StatesA. *Sedimentary Geology* **62**, 241-277. RS; Wadena field, W-central Minnesota; SG; *
193. Goldstein, B. (1994). Drumlins of the Puget Lowland, Washington State, USA. *Sedimentary Geology* **91**, 299-312. RS; Puget Lowland, Washington State, USA; SP; *
194. Goldthwait, J. W. (1924). Physiography of Nova Scotia. *Memoirs of the Geological Survey of Canada*, **140**, 179 pp.
195. Goldthwait, R. P. (1974). Rates of formation of glacial features in Glacier Bay, Alaska. In: *Glacial Geomorphology*, ed. D.R. Coates, *Publications in Geomorphology*, State University of New York, Binghamton, New York, **6**, 163-185.
196. Goodchild, J. G. (1975). The glacial phenomena of the Eden Valley and the western part of the Yorkshire-Dale district. *Quarterly Journal of the Geological Society London* **31**, 55-99.
197. Goodwillie, D. (1995). Two cross-cutting drumlin swarms in northern Sweden; geomorphology as a key to palaeoglaciology. RS; N Sweden; P;
198. Gordon, J. E., Campbell, S. (1992). Conservation of glacial deposits in Great Britain: a framework for assesment and protection of sites of special scientific interest. *Geomorphology* **6**, 89-91. *
199. Grant, U. S., Higgins, D.F. (1913). Coastal glaciers of Prince William Sound and Kenai Peninsula, Alaska. *United States Geological Survey, Survey Bulletin*, 526.
200. Gravenor, C. P. (1953). The origin of drumlins. *American Journal of Science* **251**, 674-681. RV; G; *
201. Gravenor, C. P. (1957). Surficial geology of the Lindsay-Peterborough area, Ontario, Victoria, Peterborough, Durham and Northumberland Counties, Ontario. *Memoirs of the Geological Survey of Canada*, 288.
202. Gravenor, C. P. (1974). The Yarmouth drumlin field, Nova Scotia, Canada. *Journal of Glaciology* **13**, 45-54. RS; Yarmouth field, Nova Scotia, Canada; SMG; *
203. Gray, J. M., Lowe, L.L. (1977). Studies in the Scottish lateglacial environment. *Pergamon Press*, 197 pp.

204. Gray, M., Jarman, D. (2003). Creating authentic 'glacial' landforms from waste materials: two UK case studies. *Scottish Geographical Journal* **119**, 311-324. RS; UK; *
205. Greenly, E. (1919). The geology of Anglesey, vol II. *Memoirs of the Geological Survey*.
206. Greenwood, R. O., Orford, J.D. (2007). Factors controlling the retreat of drumlin coastal cliffs in a low energy marine environment - Strangford Lough, Northern Ireland. *Journal of Coastal Research* **23**, 285-297. RS; Strangford Lough, N Ireland; G; *
207. Greenwood, S. L., Clark, C.D. (2010). The sensitivity of subglacial bedform size and distribution to substrate lithological control *Sedimentary Geology* **232**, 130-144. RS; Ireland; M; *
208. Gregory, J. W. (1926). Scottish drumlins. *Transaction of the Royal Society of Edinburgh* **54**, 433-441.
209. Gresswell, R. K. (1962). The glaciology of the Coniston Basin. *Liverpool and Manchester Geological Journal* **3**, 83-91.
210. Griffith, A. E., Wilson, H.E. (1982). Pleistocene. In: *Geology of the country around Carrickfergus and Bangor, Memoirs of the Geological Survey of Northern Ireland, Sheet 29*, 118 pp.
211. Grosswald, M. G., Karlen, W., Shishorina, Z. , Bodin, A. (1992). Glacial landforms and the age of deglaciation in the Tiksi area, East Siberia. *Geografiska Annaler* **74A**, 295-304. RS; Tiksi, East Siberia, Russia; *
212. Guilcher, A. (1965). Drumlin and spit structures in the Kenmare River, southwest Ireland. *Irish Geographer* **5**, 7-19.
213. Haavisto-Hyvarinen, M. (1987). Mapping of drumlins of the Mikkeli district, southeastern Finland. In: Menzies, J. & Rose, J., *Drumlin Symposium, Balkema: Rotterdam*, 295-307. RS; SE Finland;
214. Haavisto-Hyvarinen, M., Kielosto, S. , Niemela, J. (1989). Precrags and drumlin fields in Finland. *Sedimentary Geology* **62**, 337-348. RS; Finland; *
215. Habbe, K. A. (1989). On the origin of the drumlin of the South German Alpine Foreland. *Sedimentary Geology* **62**, 357-369. RS; South German Alpine Foreland; S; *
216. Habbe, K. A. (1992). On the origin of the drumlins of the south German Alpine Foreland (II): the sediment underneath. *Geomorphology* **6**, 69-78. RS; South German Alpine Foreland; SG; *
217. Hagstrom, M. D. (2006). The Kiruna swarm in northern Fennoscandia. *Examensarbete N-62, Institutionen för Naturgeografi och Kvartärgeologi. PhD thesis*, 39 pp. RS; Kiruna, N Fennoscandia; M;
218. Hall, J. (1815). On the revolutions of the Earth's surface. *Transactions of the Royal Society of Edinburgh* **7**, 169-184.
219. Hansen, S. (1965). The Quaternary of Denmark. In: *The Quaternary, K. Rankama. Interscience*, 1, 1-90.

- 220.Hanvey, P. (1989). Stratified flow deposits in a Late Pleistocene drumlin in northwest Ireland. *Sedimentary Geology* **62**, 211-221. RS; NW Ireland; S; *
- 221.Hanvey, P. (1992). Variable boulder concentrations in drumlins indicating diverse accretionary mechanisms - examples from western Ireland. *Geomorphology* **6**, 41-50. RS; W Ireland; S; *
- 222.Hanvey, P. M. (1987). Sedimentology of lee-side stratification sequences in late-Pleistocene drumlins, north-west Ireland. In: Menzies. J. & Rose, J., *Drumlin Symposium*, Balkema: Rotterdam, 241-253. RS; NW Ireland; S;
- 223.Hare, F. K. (1959). A photo-reconnaissance survey of Labrador-Ungava. *Department of Mines and Technical Surveys, Canada. Memoirs of the Geographical Branch*, 6, 53-56.
- 224.Harris, S. A. (1967). Origin of part of the Guelph drumlin field and the Galt and Paris moraines, Ontario. *Canadian Geographer* **11**, 16-34. RS; Ontario; S; *
- 225.Harry, D. G., Trenhaile, A.S. (1987). The morphology of the Arran drumlin field, southern Ontario, Canada. In: Menzies. J. & Rose, J., *Drumlin Symposium*, Balkema: Rotterdam, 161-173. RS; Arran field, southern Ontario, Canada; SM;
- 226.Hart, J. (1995). Drumlin formation in southern Anglesey and Arvon, northwest Wales. *Journal of Quaternary Science* **10**, 3-14. RS; NW Wales, UK; SP; *
- 227.Hart, J. (1995). Recent drumlins, flutes and lineations at Vestari-Hagafellsjokull, Iceland. *Journal of Glaciology* **41**, 596-606. RS; Vestari-Hagafellsjokull, Iceland; S; *
- 228.Hart, J. (1995). Subglacial erosion, deposition and deformation associated with deformable beds. *Progress in Physical Geography* **19**, 173-191. RS; G; *
- 229.Hart, J. (1997). The relationship between drumlins and other forms of subglacial glaciotectonic deformation. *Quaternary Science Review* **16**, 93-107. RV; SG; *
- 230.Hart, J. (1999). Identifying fast ice flow from landform assemblages in the geological record: a discussion. *Annals of Glaciology* **28**, 59-66. RS; G; *
- 231.Hart, J. H. (2005). Thornhill drumlin. In: Coxon, P., *The Quaternary of West Central Ireland: Field Guide*, Quaternary Research Association, London, 193-201. RS; Clew Bay, Ireland; S;
- 232.Hart, J., Smith, B. (1997). Subglacial deformation associated with fast ice flow, from the Columbia Glacier, Alaska. *Sedimentary Geology* **111**, 177-197. RS; Columbia Glacier, Alaska; SG; *
- 233.Harte, W. (1867). On the post-Tertiary geology (recent and post-Pliocene phenomena) of the County of Donegal, and part of the County of Derry, and its connexion with that of Scotland. *Journal of the Royal Geological Society of Ireland* **2**, 30-67.
- 234.Hattestrand, C., Goodwillie, D. , Kleman, J. (1999). Size distribution of two cross-cutting drumlin systems in northern Sweden: a measure of selective erosion and formation time length. *Annals of Glaciology* **28**, 146-152. RS; N Sweden; M; *

- 235.Hattestrand, C., Gotz, S., Naslund, J.-O.Fabel , Stroeven, A.P. (2004). Drumlin formation time: evidence from northern and central Sweden. *Geografiska Annaler* **86**, 155-167. RS; N and central Sweden; M; *
- 236.Heidenreich, C. (1964). Some observation on the shape of drumlins. *Canadian Geographer* **8**, 101-107. RS; 4 drumlin field in Ontario and the Northern Territories; M; *
- 237.Heikkinen, O., Tikkanen, M. (1979). Glacial flutings in northern Finnish Lapland. *Fennia* **157**, 1-12.
- 238.Heikkinen, O., Tikkanen, M. (1989). Drumlins and flutings in Finland their relationships to ice movement and to each other. *Sedimentary Geology* **62**, 349-355. RS; Finland; P; *
- 239.Hershey, O. H. (1897). Mode of formation of till as illustrated by the Kansan drift of northern Illinois. *Journal of Geology* **5**, 50-62.
- 240.Hess, D. P., Briner, J.P. (2009). Geospatial analysis of controls on subglacial bedform morphometry in the New York Drumlin Field – implications for Laurentide Ice Sheet *Earth Surface Processes and Landforms* **34**, 1126-1135. RS; New York State; M; *
- 241.Hiemstra, J. F., Kulessa, B., King, E.C., Ntarlagiannis, D. (2008). The sedimentological and geophysical anatomy of the 'Pigeon Point' drumlin in Clew Bay, Co. Mayo, Ireland. *Quaternary Newsletter* **114**, 46-51. RS; Clew Bay, Ireland; S;
- 242.Hill, A. R. (1970). The relationship of drumlins to the directions of ice movement in north Co. Down. In: *Three local studies of the irish Pleistocene, in Irish Geographical Studies, Belfast*, 2, 52-59.
- 243.Hill, A. R. (1971). The internal composition and structure of drumlins in North Down and South Antrim, Northern Ireland. *Geografiska Annaler* **53A**, 14-31. RS; Antrim, N Ireland; S; *
- 244.Hill, A. R. (1973). The distribution of drumlins in County Down, Ireland. *Annals of the Association of the American Geographers*. RS; County Down, NE Ireland;
- 245.Hillefors, A. (1973). The stratigraphy and genesis of stoss- and lee-side moraines. *Bullettin of the Geological Institute of the University of Uppsala* **5**, 139-154.
- 246.Hillefors, A. (1974). The stratigraphy and genesis of the Dosebacka and Ellesbo drumlins. A contribution to the knowledge of the Weischsel glacial history in western Sweden. *Geol. For. I Stockholm Forth.* **96**, 355-374.
- 247.Hiller, J. K., Smith, M. (2008). Residual relief separation: digital elevation model enhancement for geomorphological mapping. *Earth Surface Processes and Landforms* **33**, 2266 - 2276. *
- 248.Himmelstoss, E. A., FitzGerald, D.M., Rosen, P.S. , Allen, J.R. (2006). Bluff evolution along coastal drumlins: Boston Harbor Islands, Massachusetts. *Journal of Coastal Research* **22**, 1230-1240. RS; Boston Harbor Islands, Massachusetts, USA; G; *
- 249.Hindmarsh, R. C. A. (1998). Drumlinisation and drumlin-forming instabilities: viscous till mechanisms. *Journal of Glaciology* **44**, 293-314. RS; G; *

- 250.Hindmarsh, R. C. A. (1998). The stability of a viscous till sheet coupled with ice flow, considered at wavelengths less than the ice thickness. *Journal of Glaciology* **44**, 285-292. RS; G; *
- 251.Hindmarsh, R. C. A. (1999). Coupled ice-till dynamics and the seeding of drumlins and bedrock forms. *Annals of Glaciology* **28**, 221-230. RS; G; *
- 252.Hirvas, H. (1977). Glacial transport in Finnish Lapland. In: *Prospecting in Areas of Glaciated Terrain, 1977. Institut of Mining & Metallurgy. Papers presented at symposium, I.M.M./Geol. Survey Finland, Helsinki*, 128-137.
- 253.Hitchcock, C. H. (1876). Lenticular hills of glacial drift. *Proceeding of the Boston Society of Natural History* **19**, 63-67.
- 254.Hitchcock, C. H. (1884). Lenticular hills. *American Journal of Science* **3**, 72.
- 255.Hitchcock, E. (1842). The phenomena of drift, or glacio-aqueous action in North America, between the Tertiary and Alluvial Periods. *Transactions of first, second, third meetings of the Association of the American Geologists and Naturalists*, 164-221.
- 256.Hole, F. D. (1970). Drumlin morphology and oil relationships in Jefferson County, Wisconsin. In: *Pleistocene Geology of SE Wisconsin. G.S. America Annual Meeting Milwaukee, Wisconsin, Wisconsin University Geology & Natural History Survey Informal Circular 15, FI9*.
- 257.Holland, C. H. (1981). A geology of Ireland. *Scottish Academy Press, Edinburgh*.
- 258.Hollingworth, S. E. (1931). The glaciation of western Edenside and adjoining areas and the drumlins of Edenside and Solway Basin. *Quarterly Journal of the Geological Society* **87**, 281-359.
- 259.Holmes, C. D. (1947). Kames. *American Journal of Science* **245**, 240-249. RV; G; *
- 260.Home, D. M. (1876). Notice of high-water marks on the banks of the River Tweed and some of its tributaries; and also of drift deposits in the Valley of the Tweed. *Transactions of the Royal Society of Edinburgh* **27**, 513-562.
- 261.Hoppe, G. (1951). Drumlins I Nordostra Norrbotten. *Geografiska Annaler* **33**, 1299-1354.
- 262.Hoppe, G. (1967). Case studies of deglaciation patterns. *Geografiska Annaler* **49A**, 204-212. RS; Pajala-Korpilombolo and Saltoluokta-Stora Sjofallet, Sweden;
- 263.Horne, R. R. (1976). Geological guide to the Dingle Peninsula. *Guide Series, 1, Geological Survey of Ireland*.
- 264.Hoyle, F. (1981). Drumlins. In: *Ice, Chapter 9; the beginning of an Ice Age, Hutchinson, London*, 191 pp.
- 265.Hubbard, G. D. (1906). Drumlinoids of the Catatonk Folio. *Bulletin of the American Geographical Society* **38**, 355-365. RS; Catatonk, New York State; M; *

- 266.Huddart, D. (1981). Fluvio-glacial systems in Edenside (middle Eden Valley and Brampton Kame Belt). *Field Guide to Eastern Cumbria, Quaternary Research Association*, 79-103.
- 267.Huddart, D. (1983). Flow tills and ice-walled lacustrine sediments, the Petteril valley, Cumbria, England. In: Evenson, E.B., Schluchter, Ch. & Rabassa, J., *Till and related deposits, Proceeding of the INQUA Symposia on the Genesys and Lithology of Quaternary Deposits/USA 1981/Argentina 1982*, 81-94.
- 268.Hughes, A. L. C., Clark, C.D., Jordan, C.J. (2010). Subglacial bedforms of the last British Ice Sheet. *Journal of Maps*, 543-563. RS; Britain; MP; *
- 269.Ignatius, H. (1958). On the Late-Wisconsin deglaciation in eastern Canada. *Acta Geographica* **16**, 3-34.
- 270.Iverson, N. R. (2000). Sediment entrainment by a soft-bedded glacier: a model based on regelation into the bed. *Earth Surface Processes and Landforms* **25**, 881-893. RS; G; *
- 271.Ives, J. D. (1956). Till patterns in Central Labrador. *The Canadian Geographer* **8**, 25-33.
- 272.Jaatinen, S. (1960). The glacial morphology of the Aland islands, with special reference to the superficial deposits. *Fennia* **84**, 5-38.
- 273.Janocko, J. (1997). Genesis of an elongated ridge at Jaeren, southwest Norway: drumlin or marginal moraine? *Geografiska Annaler* **79**, 57-66. RS; Jaeren region, SW Norway; SG; *
- 274.Jansson, K. N., Glasser, N.F. (2005). Using Landsat 7 ETM+ imagery and Digital Terrain Models for mapping glacial lineaments on former ice sheet beds. *International Journal of Remote Sensing* **26**, 3931-3941. RS; -; *
- 275.Jansson, K. N., Kleman, J., Marchant, D.R. (2002). The succession of ice-flow patterns in north-central Quebec-Labrador, Canada. *Quaternary Science Reviews* **21**, 503-523. RS; N-central Quebec-Labrador, Canada; P; *
- 276.Jansson, K. N., Stroeven, A.P., Kleman, J. (2003). Configuration and timing of Ungava Bay ice streams, Labrador-Ungava, Canada. *Boreas* **32**, 256-262. RS; Labrador-Ungava, Canada; P; *
- 277.Jansson, K., Kleman, J. (1999). The horned crag-and-tails of the Ungava Bay landform swarm, Quebec-Labrador, Canada. *Annals of Glaciology* **28**, 168-174. RS; Ungava Bay, Canada;
- 278.Jardine, W. G. e. (1980). Quaternary Research Association 1980 Field meeting, Glasgow Region. 70 pp.
- 279.Jauhainen, E. (1975). Morphometric analysis of drumlin fields in northern Central Europe. *Boreas* **4**, 4, 219-230. RS; various, GER and POL; M;
- 280.Johnson, L. (1882). The parallel drift-hills of western New York. *Transaction of the New York Academy of Science* **1**, 77-80.

- 281.Johnson, M. D., Schomacker, A., Benediktsson, I.O., Geiger, A.J., Ferguson, A., Ingolfsson, O. (2010). Active drumlin field revealed at the margin of Múlajökull, Iceland: a surge-type glacier. *Geology* **38**, 943-946. RS; Iceland; SG; *
- 282.Jorgensen, F., Piotrowski, J. (2003). Signature of the Baltic Ice Stream on Funen Island, Denmark during the Weichselian glaciation. *Boreas* **32**, 242-255. RS; Funen Island, Denmark; S; *
- 283.Judson, S. (1949). The Pleistocene stratigraphy of Boston, Massachusetts and its relation to the Boylston Street fishweir. The Boylston Street Fishweir II. *Papers of Peabody Foundation for Archeology* **4**, 7-48.
- 284.Karczewski, A. (1976). Morphometric features of drumlins in western Pomerania. *Questiones Geographicae* **3**, 35-42.
- 285.Karczewski, A. (1987). Lithofacies variability of a drumlin in Pomerania, Poland. In: Menzies, J. & Rose, J., *Drumlin Symposium*, Balkema: Rotterdam, 177-183. RS; Pomerania, Poland; S;
- 286.Karrow, P. F. (1981). Till texture in drumlins. *Journal of Glaciology* **27**, 497-502. RS; Ontario; S; *
- 287.Kehew, A. E., Beukema, S.P., Bird, B.C. , Kozlowski, A.L. (2005). Fast flow of the Lake Michigan Lobe: evidence from sediment-ladform assemblages in southwestern Michigan, USA. *Quaternary Science Reviews* **24**, 2335-2353. RS; Lake Michigan Lobe, SW Michigan, USA; S; *
- 288.Kendall, P. F., Bailey, E.B. (1908). The glaciation of East Lothian south of the Garleton Hills. *Transactions of the Royal Society of Edinburgh* **46**, 1-31.
- 289.Kerr, M., Eyles, N. (2007). Origin of drumlins on the floor of Lake Ontario and in upper New York State. *Sedimentary Geology* **193**, 7-20. RS; upper New York State, USA; MG; *
- 290.Kinahan, G. H. (1867). Notes on some of the drift in Ireland. *Journal of the Royal Geological Society of Ireland* **1**, 191-207. RS; Ireland; M; *
- 291.Kinahan, G. H. (1873). Supplementary notes on some of the drift in Ireland. *Journal of the Royal Geological Society of Ireland* **3**, 9-15. RS; Ireland; G; *
- 292.Kinahan, G. H., Close, M.H. (1872). The general glaciation of Iar-Connaught and its neighbourhood, in the counties of Galway and Mayo. *Hodges, Foster & Co., Dublin*, 20 pp.
- 293.King, C. A. M. (1974). Morphometry in glacial geomorphology. In: *Glacial Geomorphology*, ed. D.R. Coates, *Publications in Geomorphology*, State University of New York, Binghamton, New York, 5, 147-162. RS; various; M;
- 294.King, E. C., Woodward, J. , Smith, A.M. (2007). Seismic and radar observations of subglacial bed forms beneath the onset zone of Rutford Ice Stream, Antarctica. *Journal of Glaciology* **53**, 665-672. RS; Rutford Ice Stream, West Antarctica Ice Sheet; *
- 295.King, W. B. R. (1935). The Upper Wensleydale river system. *Proceedings of the Yorkshire Geological Society* **23**, 10-24.

- 296.Kleman, J., Borgstrom, I. (1996). Reconstruction of palaeo-ice sheets: the use of geomorphological data. *Earth Surface Processes and Landforms* **21**, 893-909. RS; P; *
- 297.Kleman, J., Borgstrom, I. , Stroeven, A. (1997). Fennoscandian palaeoglaciology reconstructed using a glacial geological inversion model. *Journal of Glaciology* **43**, 283-299. RS; Fennoscandia; P; *
- 298.Knight, J. (1997). Morphological and morphometric analyses of drumlin bedforms in the Omagh Basin, north central Ireland. *Geografiska Annaler* **79**, 255-266. RS; N-central Ireland; M; *
- 299.Knight, J. (1999). Problems of Irihs drumlins and Late Devensian ice sheet reconstructions. *Proceedings of the Geologists' Association* **110**, 9-16. RS; Ireland; P;
- 300.Knight, J. (2002). Bedform patterns, subglacial meltwater events, and Late Devensian ice sheet dynamics in north-central Ireland. *Global and Planetary Change* **35**, 237-253. RS; N-central Ireland; P; *
- 301.Knight, J. (2006). Geomorphic evidence for active and inactive phases of Late Devensian ice in north-central Ireland. *Geomorphology* **75**, 4-19. RS; N-central Ireland; P; *
- 302.Knight, J. (2010). Basin-scale patterns of subglacial sediment mobility: implications for glaciological inversion modelling. *Sedimentary Geology* **232**, 145-160. RS; Omagh Basin, Ireland; S; *
- 303.Knight, J. (2010). Drumlins and the dynamics of the subglacial environment *Sedimentary Geology* **232**, 91-97. RV; *
- 304.Knight, J., McCabe, A.M. (1997). Drumlin evolution and ice sheet oscillations along the NE Atlantic margin, Donegal Bay, western Ireland. *Sedimentary Geology* **111**, 57-72. RS; Donegal Bay, W Ireland; P; *
- 305.Knight, J., McCarron, S.G. , McCabe, A.M. (1999). Landform modification by palaeo-ice streams in east-central Ireland. *Annals of Glaciology* **28**, 161-167. RS; E-central Ireland; SP; *
- 306.Koteff, C. (1974). The morphological sequence concept and deglaciation of southern New England. In: *Glacial Geomorphology*, ed. D.R. Coates, *Publications in Geomorphology*, State University of New York, Binghamton, New York, 4, 121-144.
- 307.Kowalke, O. L. (1952). Locations of drumlins in the town of Liberty Grove, Door County, Wisconsin. *Transactions of the Wisconsin Academy of Science, Arts and Letters* **41**, 15-16.
- 308.Krall, D. B. (1977). Late Wisconsinan ice recession in east-central New York. *Geological Society of American Bulletin* **88**, 1697-1710. RS; east-central New York State, USA; M; *
- 309.Kristoffersen, Y., Coakley, B., Jokat, W., Edwards, M., Brekke, H. , Gjengedal, J. (2004). Seabed erosion on the Lomonosov Ridge, central Arctic Ocean: a tale of

deep draft icebergs. *Paleoceanography* **19**, PA3006,
doi:10.1029/2003PA000985. *

- 310.Kruger, J. (1987). Relationship of drumlin shape and distribution to drumlin stratigraphy and glacial history, Myrdalsjokull, Iceland. In: Menzies. J. & Rose, J., *Drumlin Symposium*, Balkema: Rotterdam, 257-266. RS; Myrdalsjokull, south Iceland; SM;
- 311.Kruger, J., Thomsen, H.H. (1984). Morphology, stratigraphy, and genesis of small drumlins in front of glacier Myrdalsjokull, south Iceland. *Journal of Glaciology* **30**, 94-105. RS; Myrdalsjokull, south Iceland; SMG; *
- 312.Kruger. (1994). Glacial processes, sediments, landforms, and stratigraphy in the terminus region of Myrdalsjokull, Iceland. *Folia Geographica Danica* **21**, 1-233.
- 313.Kulessa, B., Clarke, G., Hughes, D. A. B. , Barbour, S. L. (2007). Anatomy and facies association of a drumlin in Co. Down, Northern Ireland, from seismic and electrical resistivity surveys. In: M. J. Hambrey et al., *Glacial sedimentary properties and processes, Special Publication of the International Association of Sedimentologists*, 165-176. RS; County Down, NE Ireland; S;
- 314.Kupsch, W. O. (1955). Drumlins with jointed boulders near Dollard, Saskatchewan. *Geological Society of American Bulletin* **66**, 327-338. RS; Dollard, Saskatchewan, Canada; S; *
- 315.Kuujansuu, R., Koho, S. (1982). On the suitability of the landsat data for general geological mapping of Quaternary deposits in northern Lapland. *The Photogrammetric Journal of Finland* **9**, 65-75.
- 316.Lasca, N. P. (1970). The drumlin field of the south-eastern Wisconsin. *University of Wisconsin Geology and Natural History Survey Information Circular* **15**, E1-E13.
- 317.Lee, J., Ryan, M. (1965). A clinosequence of soils associated with drumlin landscape. *Irish Journal of Agricultural Research* **4**, 1-12.
- 318.Lemke, R. W. (1958). Narrow linear drumlins near Velva, North Dakota. *American Journal of Science* **256**, 270-283. RS; Velva, North Dakota;
- 319.Letzer, J. M. (1981). The Upper Eden Valley (Ravenstonedale). *Field Guide to Eastern Cumbria, Quaternary Research Association*, 43-60.
- 320.Lewis, C. A. (1977). South and South West Ireland. *INQUA Congress Excursion Guide*, A15, 52 pp.
- 321.Lewis, C. A. e. (1970). The glaciations of Wales and adjoining regions. *Longman*, 378 pp.
- 322.Lewis, H. C. (1894). Papers and notes on the Glacial geology of Great Britain and Ireland. *Longmans, Green & Co., London & New York*, 435 pp.
- 323.Li, D., Yi, C., Ma, B., Wang, P., Ma, C. , Cheng, G. (2006). Fabric analysis of till clasts in the upper Urumqi River, Tian Shan, China. *Quaternary International* **154-155**, 19-25. RS; upper Urumqi River, Tian Shan, China; S; *

324. Lincoln, D. F. (1892). Glaciation in the Finger-Lake region of New York. *American Journal of Science* **44**, 290-301. RS; NYS, USA; SM; *
325. Livingstone, S. J., O Cofaigh, C., Evans, D.J.A. (2008). Glacial geomorphology of the central sector of the last British-Irish Ice Sheet. *Journal of Maps*, 358-377. RS; Britain; P; *
326. Lotan, J. E., Shetron, S.C. (1968). Characteristics of drumlins in Leelanau County, Michigan. *Papers, Michigan Academy of Science, Arts, and Letters* **53**, 79-89.
327. Low, A. P. (1898). Report on a traverse of the northern part of the Labrador Peninsula from Richmond Gulf to Ungava Bay. *Geological Survey of Canada, Annual Report, 9L*, 657, 43 pp.
328. Lundqvist, J. (1965). The Quaternary of Sweden. In: *The Quaternary*, K. Rankama. Interscience, 1, 139-198.
329. Lundqvist, J. (1969). Problem of the so-called Rogen moraine. *Sveriges Geologiska Undersökning* **648**, 32 pp.
330. Lundqvist, J. (1970). Studies of drumlin tracts in central Sweden. *Acta Geographica Lodziensia* **24**, 317-326.
331. Lytwyn, J. (2010). Remote sensing and GIS investigation of glacial features in the region of Devil's Lake State Park, South-Central Wisconsin, USA. *Geomorphology* **123**, 46-60. RS; Wisconsin, USA; P; *
332. MacNeill, R. H. (1965). Variation in the content of some drumlins and tills in south-west Nova Scotia. *Marine Sedimentology??* **1**, 16-19.
333. May, R. W., Dreimanis, A. (1976). Compositional variability in tills. *Glacial Till. Special Publication n. 12 of the Royal Society of Canada*, 99-120.
334. McAdam, A. D., Tulloch, W. (1985). The Quaternary. In: *Geology of the Haddington district, Memoirs of the British Geological Survey, Sheet 33W and part of 41*, 11, 75-87.
335. McCabe, A. M. (1989). The distribution and stratigraphy of drumlins in Ireland. In: Ehlers, J., Gibbard, P.L. & Rose, J., *Glacial deposits in Great Britain and Ireland*, Balkema, Rotterdam, 421-435. RV; Ireland; S;
336. McCabe, A. M. (1992). Sedimentology of the Barna drumlins, Galway Bay. In: McCabe, A.M., Dardis, G.F. & Hanvey, P.M., *Glacial sedimentology in northern and western Ireland: Pre- and Post-Symposium Field Excursion Guide Book*. Anglia Polytechnic, Cambridge, 207-213. RS; Galway, Ireland; S;
337. McCabe, A. M., Dardis, G.F. (1994). Glaciectonically induced water-throughflow structures in a Late Pleistocene drumlin, Kanrawer, County Galway, western Ireland. *Sedimentary Geology* **91**, 173-190. RS; Kanrawer, County Galway, W Ireland; S; *
338. McCabe, A. M., Haynes, J.R. , MacMillan, N.F. (1986). Late-Pleistocene tidewater glaciers and glacimarine sequences from north County Mayo, Republic of Ireland. *Journal of Quaternary Science* **1**, 73-84.

339. McCabe, F., Collins, J.F. (1977). Soil type, soil slope and topsoil depth relationships on a Co. Cavan drumlin. *Irish Geographer* **10**, 19-27.
340. McCabe, F., Collins, J.F. , McAleese, D.M. (1977). Variability in the soils of a drumlin in Co. Cavan developed in Siularian till. *Science Proceedings, Royal Dublin Society A*, 491-502.
341. McCabe, M., Knight, J. , McCarron, S. (1998). Evidence of Heinrich event 1 in the British Isles. *Journal of Quaternary Science* **13**, 549-568. RS; British Isles; P; *
342. McGee, W. J. (1893). Comments on Upham's Conditions of accumulation of drumlins. *Bulletin of the Geological Society of America* **4**, 9-10.
343. Meehan, R. T., Warren, W.P., Gallagher, C.J.D. (1997). The sedimentology of a Late Pleistocene drumlin near Kingscourt, Ireland. *Sedimentary Geology* **111**, 91-105. RS; Kingscourt, Ireland; S; *
344. Menzies, J. (1979). A review of the literature on the formation and location of drumlins. *Earth Science Reviews* **14**, 315-359. RV;
345. Menzies, J. (1979). The mechanics of drumlin formation with particular reference to the change in pore-water content of the till. *Journal of Glaciology* **22**, 373-384. RS; SG; *
346. Menzies, J. (1984). Drumlins: a bibliography. *Norwich, Geo Books*. RV;
347. Menzies, J. (1987). Towards a general hypothesis on the formation of drumlins. In: Menzies. J. & Rose, J., *Drumlin Symposium, Balkema: Rotterdam*, 9-24. RS; G;
348. Menzies, J. (1989). Subglacial hydraulic conditions and their possible impact upon subglacial bed formation. *Sedimentary Geology* **62**, 125-150. RS; G; *
349. Menzies, J. (1996). Glasgow's drumlins. *Scottish Geographical Magazine* **112**, 188-193. RS; Glasgow; SMG; *
350. Menzies, J., Brand, U. (2007). The internal sediment architecture of a drumlin, Port Byron, New York State, USA. *Quaternary Science Review* **26**, 322-335. RS; Port Byron, New York State, Usa; S; *
351. Menzies, J., Maltman, A.J. (1992). Micorstructures in diamictons - evidence of subglacial bed conditions. *Geomorphology* **6**, 27-40. RS; Ontario, Canada & Bavaria and Baden-Wurttemburg, Germany; S; *
352. Menzies, J., Rose, J. (1987). Drumlins-trends and perspectives. *Episodes* **10**, 29-31. RV;
353. Menzies, J., Rose, J. (1987). Introduction. In: Menzies. J. & Rose, J., *Drumlin Symposium, Balkema: Rotterdam*, 1-5. -;
354. Menzies, J., Rose, J. (1989). Subglacial bedforms - an introduction. *Sedimentary Geology* **62**, 117-122. RV;
355. Menzies, J., Zaniewski, K. , Dreger, D. (1997). Evidence, from microstructures, of deformable bed conditions within drumlins, Chimney Bluffs, New York State. *Sedimentary Geology* **111**, 161-175. RS; Chimney Bluffs, New York State, USA; SG; *

356. Merrill, F. J. H. (1893). Comments on Upham's Conditions of accumulation of drumlins. *Bulletin of the Geological Society of America* **4**, 9.
357. Miller, J. W. (1972). Variations in New York drumlins. *Annals of the Association of the American Geographers* **62**, 418-423. RS; west-central New York State; SM; *
358. Miller, J. W. (1974). A discontinuous surface on the central New York drumlin plain. *Transactions of the New York Academy of Science* **2**, 391-395.
359. Millis, J. (1911). The drumlins. *Science* **56**, 174.
360. Millis, J. (1911). What caused the drumlins? *Science* **34**, 60-62. RS; G; *
361. Mills, D. A. C., Hull, J.H. (1976). The Geology of the District around Barnard Castle. *Memoirs of the Geological Survey of Great Britain*, 385 pp.
362. Mills, H. H. (1980). An analysis of drumlin form in the northeastern and north-central United States: Summary. *Geological Society of American Bulletin* **91**, 637-639. RS; 17 different dr fields, USA; M; *
363. Mills, H. H. (1987). Morphometry of drumlins in the northeastern and north-central USA. In: Menzies, J. & Rose, J., *Drumlin Symposium*, Balkema: Rotterdam, 131-147. RS; NE and N-central USA; M;
364. Millward, R., Robinson, A. (1974). The Lake District. *Eyre & Spottiswoode Ltd., 2nd edition*, 360 pp.
365. Milthers, V. (1909). Scandinavian indicator-boulders in the Quaternary deposits. Extension and distribution. *Denmarks geologiske Undersogelse* **2**, 153 pp.
366. Minell, H. (1973). An investigation of drumlins in the Narvik area of Norway. *Bulletin of the Geological Institute of the University of Uppsala* **5**, 133-138.
367. Minell, H. (1980). The distribution of local bedrock material in some moraine forms from the inner part of northern Sweden. *Boreas* **9**, 275-281. RS; Storvindeln-Storavan, Sweden; S; *
368. Mitchell, G. F. (1981). The Quaternary - until 10,000 B.P. In: Holland, C.H., *A Geology of Ireland*. Scottish Academy Press, Edinburgh, 16, 235-258.
369. Mitchell, W. A. (1994). Drumlins in ice sheet reconstructions, with reference to the western Pennines, northern England. *Sedimentary Geology* **91**, 313-332. RS; W Pennines, N England; MP; *
370. Mollard, J. D. (1957). Aerial photographs aid petroleum search. *Canadian oil & gas industries*, 1-8.
371. Mooers, H. D. (1989). Drumlin formation: a time transgressive model. *Boreas* **18**, 99-107. RS; Pierz drumlin field, Wisconsin, USA; G;
372. Morris, E. M., Morland, L.W. (1976). A theoretical analysis of the formation of glacial flutes. *Journal of Glaciology* **17**, 311-323. *
373. Muller, E. H. (1963). Geology of the Chautauqua County, New York, Part II, Pleistocene Geology. *New York State Museum Bulletin* **393**, 26-30.

374. Muller, E. H. (1965). Quaternary geology of New York. In: *The Quaternary of the United States. 7 Congress of the International Association for quaternary Research, Boulder, Colorado*, Princeton University Press, H.E. Wright & D.G. Frey (eds.).
375. Muller, E. H. (1974). Origins of drumlins. In: Coates, D.R., *Glacial Geomorphology*, State University of New York, Binghampton, New York, 187-204. RV; SMG;
376. Muller, E. H., Pair, D.L. (1992). Comment and reply on Evidence for large-scale subglacial meltwater flood events in southern Ontario and northern New York State. *Geology*, 90-91. RV; *
377. Napieralski, J., Nalepa, N. (2010). The application of control charts to determine the effect of grid cell size on landform morphometry. *Computers & Geosciences* **36**, 222-230. RS; New York State; M; *
378. Nenonen, J. (1994). The Kaituri drumlin and drumlin stratigraphy in the Kangasniemi area, Finland. *Sedimentary Geology* **91**, 365-372. RS; Kangasniemi area, Finland; S; *
379. Newman, W. A., Berg, R.C., Rosen, P.S., Glass, H.D. (1990). Pleistocene stratigraphy of the Boston Harbor drumlins, Massachussets. *Quaternary Research* **34**, 148-159. RS; Boston Harbor, Massachusetts, USA; S; *
380. Newman, W. A., Mickelson, D.M. (1994). Genesis of Boston Harbor drumlins, Massachusetts. *Sedimentary Geology* **91**, 333-344. RS; Boston Harbor, Massachusetts, USA; G; *
381. O Cofaigh, C., Pudsey, C.J., Dowdeswell, J.A. , Morris, P. (2002). Evolution of subglacial bedforms along a paleo-ice stream, Antarctic Peninsula continental shelf *Geophysical Research Letters* **29**, 1-4. RS; Marguerite Bay, Antarctic Peninsula; *
382. Orme, A. R. (1967). Drumlins and the Weichsel glaciation of Connemara. *Irish Geographer* **5**, 262-274. RS; Connemara, Ireland; SP;
383. Ottesen, D., Dowdeswell, J.A., Landvik, J.Y. , Mienert, J. (2007). Dynamics of the Late Weichselian ice sheet on Svalbard inferred from high-resolution sea-floor morphology. *Boreas* **36**, 286-306. *
384. Ottesen, D., Rise, L., Knies, J., Olsen, L. , Henriksen, S. (2005). The Vestfjorden-Traenadjupet palaeo-ice stream drainage system, mid-Norwegian continental shelf. *Marine Geology* **218**, 175-189. RS; Vestfjorden-Traenadjupet depression off N Norway; *
385. Owen, L. A., Bailey, R.M., Rhodes, E.J., Mitchell, W.A., Coxon, P. (1997). Style and timing of glaciation in the Lahul Himalaya, northern India: a framework for reconstructing late Quaternary palaeoclimatic change in the western Himalayas. *Journal of Quaternary Science* **12**, 83-109. RS; W Himalayas; SM; *
386. Owen, L. A., Gualtieri, L., Finkel, R.C., Caffee, M.W., Benn, D.I. , Sharma, M.C. (2001). Cosmogenic radionuclide dating of glacial landforms in the Lahul Himalaya, northern India: defining the timing of Late Quaternary glaciation. *Journal of Quaternary Science* **16**, 555-563. RS; Lahul Himalaya, N India; S; *

- 387.Patterson, C. J., Hooke, L.H. (1995). Physical environment of drumlin formation. *Journal of Glaciology* **41**, 30-38. RV; G; *
- 388.Peacock, J. D. (1981). Quaternary Research Association excursion guide - Lewis and Harris. *Quaternary Newsletter* **35**, 45-54.
- 389.Peacock, J. D. (1984). Quaternary geology of the outer Hebrides. *British Geological Survey Reports*, 16, 2, 26 pp.
- 390.Penny, L. F. (1964). A review of last glaciation in Great Britain. *Proceeding of the Yorkshire Geological Society* **34**, 387-411.
- 391.Pessl, F. J. (1971). Till fabrics and till stratigraphy in Western Connecticut. *Till/A Symposium*, ed. R.P. Goldthwait, Ohio State University Press, 92-105.
- 392.Peuraniemi, V. (1982). Geochemistry of till and mode of occurrence of metals in some moraine type in Finland. *Geological Survey of Finland Bulletin* **322**, 75 pp.
- 393.Phillips, E., Everest, J., Diaz-Doce, D. (2010). Bedrock controls on subglacial landform distribution and geomorphological processes: evidence from the Late Devensian Irish Sea Ice Stream. *Sedimentary Geology* **232**, 98-118. RS; Wales and Scotland; MP; *
- 394.Pigott, M. E., Pigott, C.D. (1959). Stratigraphy and pollen analysis of Malham Tarn and Tarn Moss. *Field Studies* **1**, 84-101.
- 395.Piotrowski, J. A. (1987). Genesis of the Woodstock drumlin field, southern Ontario, Canada. *Boreas* **16**, 249-265. RS; Woodstock, southern Ontario, Canada; SMG;
- 396.Piotrowski, J. A. (1989). Relationship between drumlin length and width as a manifestation of the subglacial processes. *Zeitschrift fur Geomorphologie* **33**, 429-441. RS; Woodstock field, southern Ontario, Canada; MG;
- 397.Piotrowski, J. A. (1996). Reports from 5th International Drumlins Symposium. *INQUA Newsletter June* **96**, 2-4. RS;
- 398.Piotrowski, J. A. (1997). Subglacial environments - an introduction. *Sedimentary Geology* **111**, 1-5. *
- 399.Piotrowski, J. A., Smalley, I.J. (1987). The Woodstock drumlin field, southern Ontario, Canada. In: Menzies. J. & Rose, J., *Drumlin Symposium*, Balkema: Rotterdam, 309-321. RS; Woodstock field, southern Ontario, Canada; M;
- 400.Pocock, R. W., Whitehead, T.H., Wedd, C.B. , Robertson, T. (1938). Shrewsbury district. *Memoirs of the Geological Survey of Great Britain*, 297 pp.
- 401.Poole, E. G., Whiteman, A.J. (1966). Geology of the country around Nantwich and Whitchurch. *Memoirs of the Geological Survey of Great Britain*, 154 pp.
- 402.Prest, V. K. (1968). Nomenclature of moraines and ice-flow features as applied to the glacial map of Canada. *Geological Survey Paper of Canada*, 67-57.
- 403.Price, R. J. (1977). Western Scotland 1. *10th INQUA Congress Excursion Guide. A12 Western Scotland*, 1, 49 pp.

404. Price, R. J., Brown, M.A.E. , Jardine, W.G. (1980). Introduction. The Quaternary of the Glasgow region. In: Jardine, W.G., *Glasgow Region, Quaternary Research Association Field Handbook*, 3-9.
405. Punkari, M. (1982). Glacial geomorphology and dynamics in the eastern parts of the Baltic shield interpreted using landsat imagery. *The Photogrammetric Journal of Finland* **9**, 77-91.
406. Punkari, M. (1997). Subglacial processes of the Scandinavian Ice Sheet in Fennoscandia inferred from flow-parallel features and lithostratigraphy. *Sedimentary Geology* **111**, 263-283. RS; Fennoscandia; P; *
407. Putnam, D. F., Chapman, L.J. (1943). The drumlins of southern Ontario. *Transactions of the Royal Society of Canada* **37**, 75-88.
408. Quereau, E. C. (1898). Topography and history of Jamesville Lake, New York. *Bulletin of the Geological Society of America* **9**, 173-182.
409. Quin, E. G., Freeman, T.W. (1947). Some Irish topographical terms. *Irish Geographer* **1**, 85-89.
410. Rabassa, J. (1983). Stratigraphy of the glaciogenic deposits in Northern James Ross Island, Antarctic Peninsula. In: Evenson, E.B., Schluchter, Ch. & Rabassa, J., *Till and related deposits, Proceeding of the INQUA Symposia on the Genesys and Lithology of Quaternary Deposits/USA 1981/Argentina1982*, 329-340.
411. Rabassa, J. (1987). Drumlins and drumlinoid forms in northern James Ross Island, Antarctic Peninsula. In: Menzies, J. & Rose, J., *Drumlin Symposium, Balkema: Rotterdam*, 267-288. RS; James Ross Island, Antarctica; S;
412. Rains, B., Shaw, J., Skoye, R., Sjogren, D. , Kvill, D. (1993). Late Wisconsinan subglacial megaflood path in Alberta. *Geology* **21**, 323-326. RS; Alberta, Canada; P; *
413. Raistrick, A. (1930). Some glacial features of the Settle district, Yorks. *Proceedings of the University of Durham Philosophical Society* **8**, 239-251.
414. Rattas, M., Kalm, V. (2001). Lithostratigraphy and distribution of tills in the Saadjarve drumlin field, East-Central Estonia. *Proceedings of the Estonian Academy of Sciences, Geology* **50**, 24-42. RS; Saadjarve field, E-central Estonia; S;
415. Rattas, M., Piotrowski, J.A. (2003). Influence of bedrock permeability and till grain size on the formation of the Saadjarve drumlin field, Estonia, under an east-Baltic Weichselian ice stream. *Boreas* **32**, 167-177. RS; Saadjarve field, E-central Estonia; SMG; *
416. Raukas, A., Tavast, E. (1994). Drumlin location as a response to bedrock topography on the southeastern slope of the Fennoscandian Shield. *Sedimentary Geology* **91**, 373-382. RS; Estonia; P; *
417. Raunholm, S., Sejrup, H.P. , Larsen, E. (2003). Lateglacial landform associations at Jaeren (SW Norway) and their glaci-dynamic implications. *Boreas* **32**, 462-475. RS; Jaeren region, SW Norway; SP; *

- 418.Rea, B. R. (1994). Erosion beneath a temperate icefield. Observation and implications. *just an abstract of a talk*.
- 419.Reed, B., Galvin, C.J. , Miller, J.P. (1962). Some aspects of drumlin geometry. *American Journal of Science* **260**, 200-210. RS; Boston (Massachusetts); Weedsport (New York); Blaine County (Montana); Pierre County (North Dakota); M; *
- 420.Rich, J. L. (1914). Divergent ice-flow on the plateau northeast of the Catskill Mountains as revealed by ice-moulded topography. *Bullettin of the Geological Society of America* **25**, 68-70.
- 421.Riley, J. M. (1987). Drumlins of the southern Vale of Eden, Cumbria, England. In: *Menzies. J. & Rose, J., Drumlin Symposium, Balkema: Rotterdam*, 323-334. RS; Vale of Eden (Cumbria), UK; M;
- 422.Rolfe, W. D. I. (1980). Geological Howlers. *Geological Society of Glasgow, Caithness Books, Thurso*.
- 423.Rose, J. (1987). Drumlins as part of a glacier bedform continuum In: *Menzies. J. & Rose, J., Drumlin Symposium, Balkema: Rotterdam*, 103-116. RS;
- 424.Rose, J., Letzer, M. (1975). Drumlin measurements: a test of the reliability of data derived from 1:25000 scale topographic maps. *Geological Magazine* **112**, 361-371. RS; Glasgow, UK; M;
- 425.Rose, J., Letzer, M. (1977). Superimposed drumlins. *Journal of Glaciology* **18**, 471-480. RS; Glasgow and Vale of Eden drumlin fields, GB; MG; *
- 426.Rose, W. C. C., Dunham, D.C. (1977). Geology and hematite deposits of South Cumbria. *Geological Survey of Great Britain, Economic Memoir 58/48, H.M.S.O.*
- 427.Ross Mackay, J., Matthews, W.H. (1973). Geomorphology and Quaternary history of the Mackenzie River valley near Fort Good Hope, N.W.T., Canada. *Canadian Journal of Earth Science* **10**, 26-41.
- 428.Rouk, A.-M. (1976). Drumlins and drumlin-like landforms in the north-east Baltic. *Estonia. Regional Studies. Tallinn*, 21-33.
- 429.Rouk, A.-M., Raukas, A. (1989). Drumlins of Estonia. *Sedimentary Geology* **62**, 371-384. RV; Estonia; SM; *
- 430.Russell, I. C. (1895). The influence of debris on the flow of glaciers. *Journal of Geology* **3**, 823-832.
- 431.Salcher, B. C., Hinsch, R., Wagrwich, M. (2010). High-resolution mapping of glacial landforms in the North Alpine Foreland, Austria. *Geomorphology* **122**, 280-293. RS; Austria; P; *
- 432.Salisbury. (1893). Comments on Upham's Conditions of accumulation of drumlins. *Bullettin of the Geological Society of America* **4**, 9.
- 433.Sawagaki, T., Hirakawa, K. (1997). Erosion of bedrock by subglacial meltwater, Soya Coast, East Antarctica. *Geografiska Annaler* **79**, 223-238. RS; Soya Coast, East Antarctica; G; *

434. Schafer, J. P., Hartshorn, J.H. (1965). The Quaternary of New England. The Quaternary of the United States. In: *The Quaternary of the United States. 7 Congress of the International Association for quaternary Research, Boulder, Colorado, Princeton University Press, H.E. Wright & D.G. Frey (eds.)*, 113-127.
435. Schluchter, C. (1981). The glacial advances beyond the northern border of the Alps during the last glaciation in central Switzerland. *Quaternary Studies in Poland* **3**, 97-102.
436. Sejrup, H. P., Larsen, E., Haflidason, H., Berstad, I.M., Hjelstuen, B.O., Jonsdottir, H.E., King, E.L., Landvik, J., Longva, O., Nygard, A., Ottesen, D., Raunholm, S., Rise, L., Stalsberg, K. (2003). Configuration, history and impact of the Norwegian Channel Ice Stream. *Boreas* **32**, 18-36. RS; Norwegian Channel; P; *
437. Shaler, N. S. (1866). Notes on the position and character of some glacial beds containing fossils, at Gloucester, Mass. *Proceeding of the Boston Society of Natural History* **11**, 1866-1968, 27-30. RS; Massachusetts, USA; S; *
438. Shaler, N. S. (1870). On the parallel ridges of glacial drift in eastern Massachusetts, with some remarks on the glacial period. *Proceeding of the Boston Society of Natural History* **13**, 196-204.
439. Shaler, N. S. (1889). The geology of Cape Ann, Massachusetts. *United States Geological Survey, 9th Annual Report, 1887-1888*, 537-611.
440. Shaler, N. S. (1897). On the origin of drumlins. *British Association Transaction C*, 654.
441. Sharp, R. P. (1953). Glacial features of Cook County, Minnesota. *American Journal of Science* **251**, 855-883. Cook County, Minnesota; SP; *
442. Sharpe, D. R. (1985). The stratified nature of deposits in streamlined glacial landforms on southern Victoria Island, District of Franklin. *Current Research, part A, Geological Survey of Canada*, 365-371. RS; Cambridge Bay, NW Territories, Canada; SG;
443. Sharpe, D. R. (1987). The stratified nature of drumlins from Victoria Island and Southern Ontario, Canada. In: Menzies, J. & Rose, J., *Drumlin Symposium, Balkema: Rotterdam*, 185-214. RS; Victoria Island and southern Ontario, Canada; S;
444. Shaw, J. (1975). The formation of glacial flutings. *Quaternary Studies, Suggate R.P. & Cresswell, M.M. eds, The Royal Society of New Zealand, Wellington*, 253-258.
445. Shaw, J. (1980). Drumlins and large-scale flutings related to glacier folds. *Arctic and Alpine Research* **12**, 287-298. RS; G; *
446. Shaw, J. (1983). Drumlin formation related to inverted melt-water erosional marks. *Journal of Glaciology* **29**, 461-479. RS; Athabasca Plains, Saskatchewan, Canada; G; *
447. Shaw, J. (1989). Drumlins, subglacial meltwater floods and ocean responses. *Geology* **17**, 853-856. RS; Livingstone Lake, Saskatchewan, Canada; G; *

448. Shaw, J. (2002). The meltwater hypothesis for subglacial bedforms. *Quaternary International* **90**, 5-22. RV; *
449. Shaw, J. (2006). A glimpse at meltwater effects associated with continental ice sheets. In: Knight, P.G., *Glacier Science and Environmental Change*, Blackwell Publishing, Malden, Oxford, Victoria, 4, 25-32. RV;
450. Shaw, J. (2010). In defence of the meltwater (megaflood) hypothesis for the formation of subglacial bedform fields. *Journal of Quaternary Science* **25**, 249-260. RS; Canadian Prairies; G; *
451. Shaw, J. (2010). Reply: Defending and testing hypotheses: a response to John Shaw's paper 'In defence of the meltwater (megaflood) hypothesis for the formation of subglacial bedform fields'. *Journal of Quaternary Science* **25**, 824-825. RV; G; *
452. Shaw, J., Kvill, D. (1984). A glaciofluvial origin for drumlins of the Livingstone Lake area, Saskatchewan. *Canadian Journal of Earth Science* **21**, 1442-1459. RS; Livingstone Lake, Saskatchewan, Canada; G;
453. Shaw, J., Kvill., D. , Rains, B. (1989). Drumlins and catastrophic subglacial floods. *Sedimentary Geology* **62**, 177-202. RS; G; *
454. Shaw, J., Rains, B., Eyton, R. , Weissling, L. (1996). Laurentide subglacial outburst floods: landform evidence from digital elevation models. *Canadian Journal of Earth Science* **33**, 1154-1168. RS; N America; P;
455. Shaw, J., Sharpe, D.R. (1987). Drumlin formation by subglacial meltwater erosion. *Canadian Journal of Earth Science* **24**, 2316-2322.
456. Shelf: new evidence for the western limits of the British Irish Ice Sheet. *Marine Geology* **276**, 86-99. RS; offshore Ireland; MP; *
457. Shipp, S., Anderson, J., Domack, E. (1999). Late Pleistocene-Holocene retreat of the West Antarctic Ice-Sheet system in the Ross Sea: Part 1 - Geophysical results. *Geological Society of American Bulletin* **111**, 1486-1516. RS; Ross Sea; *
458. Shoemaker, E. M. (1995). On the meltwater genesis of drumlins. *Boreas* **24**, 3-10. RS; G;
459. Shomaker, A., Kruger, J. , Kjaer, K.H. (2006). Ice-cored drumlins at the surge-type glacier Bruarjokull, Iceland: a transitional-state landform. *Journal of Quaternary Science* **21**, 85-93. RS; Bruarjokull, Iceland; *
460. Sissons, J. B. (1967). The evolution of Scotland's scenery. *Oliver & Boyd, Edinburgh & London*, 259 pp.
461. Sissons, J. B. (1977). The Loch Lomond readvance in northern mainland of Scotland. In: Gray & Lowe, *Studies in the Scottish Lateglacial Environment*, Pergamon Press, 45-59.
462. Sissons, J. B. (1977). The Scottish Highlands. *10th INQUA Congress Excursion Guides. A11 and C11 The Scottish Highlands*, 51 pp.

- 463.Skehan, J. W. (1979). Puddingstone, drumlins, and ancient volcanoes. In: A geologic field guide along historic trails of greater Boston. WesStone Press, 2nd edn., 63 pp.
- 464.Slater, G. (1929). The structure of the drumlins exposed on the southern shore of Lake Ontario. *Bulletin of the New York State Museum* **281**, 3-19.
- 465.Smalley, I. J. (1966). Drumlin formation: a rheological model. *Science* **151**, 1379-1380. RS; G; *
- 466.Smalley, I. J. (1981). Conjectures, hypotheses, and theories of drumlin formation. *Journal of Glaciology* **27**, 503-505. RV; G; *
- 467.Smalley, I. J., Lu, P. , Jefferson, I.F. (2000). The golf-ball model and the purpose of drumlin formation. *Studia Quaternaria* **17**, 29-33. RS; G; *
- 468.Smalley, I. J., Piotrowski, J.A. (1987). Critical strength/stress ratio at the ice-bed interface in the drumlin forming process: from dilatancy to cross-over. In: Menzies. J. & Rose, J., *Drumlin Symposium*, Balkema: Rotterdam, 81-86. RS; G;
- 469.Smalley, I. J., Unwin, D.J. (1968). The formation and shape of drumlins and their distribution and orientation in drumlin fields. *Journal of Glaciology* **7**, 377-390. RS; -; G; *
- 470.Smalley, I., Warburton, J. (1994). The shape of drumlins, their distribution in drumlins field, and the nature of the sub-ice shaping forces. *Sedimentary Geology* **91**, 241-252. RS; M; *
- 471.Smith, A. M. (1997). Basal conditions on Rutford Ice Stream, West Antarctica, from seismic observations. *Journal of Geophysical Research* **102**, 543-552. RS; Rutford Ice Stream, West Antarctica Ice Sheet; *
- 472.Smith, A. M., Murray, T., Nicholls, K.M., Makinson, K., Aoalgeirsdottir, G., Behar, A.E. , Vaughan, D.G. (2007). Rapid erosion, drumlin formation, and changing hydrology beneath an Antarctic ice stream. *Geology* **35**, 127-130. RS; Rutford Ice Stream, West Antarctica Ice Sheet; *
- 473.Smith, B. (1912). The glaciation of the Black Combe district (Cumberland). *Quarterly Journal of the Geological Society* **68**, 402-448.
- 474.Smith, J. (1898). The drift or glacial deposits of Ayrshire. *Transactions of the Geological Society of Glasgow* **11**, 134 pp.
- 475.Smith, M. J. (2002). Technical developments for the geomorphological reconstruction of palaeo ice sheets from remotely sensed data. *Ph Thesis, Conclusion*, 245-249. RS;
- 476.Smith, M. J., Rose, J. , Gousie, M.B. (2009). The cookie cutter: a method for obtaining a quantitative 3D description for glacial bedforms. *Geomorphology* **108**, 209-218. RS; Scotland; M; *
- 477.Smith, M. J., Wise, S.M. (2007). Problems of bias in mapping linear landforms from satellite imagery. *International Journal of Applied Earth Observation and Geoinformation* **9**, 65-78. RS; County Roscommon and Down, Ireland and Karelia, Russia; *

- 478.Sollid, J. L., Andersen, S., Hamre, N., Kjeldsen, O., Salvigsen, O., Sturod, S., Tveita, T. , Wilhelmsen, A. (1973). Deglaciation of Finmark, North Norway. *Norsk Geografisk Tidsskrift* **27**, 233-325.
- 479.Sollid, J. L., Sorbel, L. (1994). Distribution of glacial landforms in southern Norway in relation to the thermal regime of the last continental ice sheet. *Geografiska Annaler* **76A**, 25-35. RS; S Norway; P; *
- 480.Spagnolo, M., Clark, C.D., Hughes, A.L.C., Dunlop, P., Stokes, C.R. (2010). The planar shape of drumlins. *Sedimentary Geology* **232**, 119-129. RS; various N Hemisphere; M; *
- 481.Sparks, B. W., West, R.G. (1972). Glacial landforms in Britain. In: *The Ice Age in Britain*, Methuen & Co. Ltd., 3, 302.
- 482.Sproule, J. C. (1939). The Pleistocene geology of the Cree Lake region, Saskatchewan. *Transactions of the Royal Society of Canada* **3**, 101-107.
- 483.Stalker, A. M. (1973). Surficial geology of the Drumheller area, Alberta. *Memoirs of the Geological Survey of Canada, Dept. of Energy, Mines & Resources*, 370, 122.
- 484.Stalsberg, K., Larsen, E., Ottesen, D. , Sejrup, H.P. (2003). Middle to Late Weichselian Norwegian Channel Ice Stream deposits and morphology on Jaeren, southwestern Norway and the eastern North Sea area. *Boreas* **32**, 149-166. RS; Norwegian Channel; SMG; *
- 485.Stea, R. R., Brown, Y. (1989). Variation in drumlin orientation, form and stratigraphy relating to successive ice flows in southern and central Nova Scotia. *Sedimentary Geology* **62**, 223-240. RS; S and Central Nova Scotia; S; *
- 486.Stea, R. R., Pe-Piper, G. (1999). Using whole rock geochemistry to locate the source of igneous erratics from drumlins on the atlantic coast of Nova Scotia. *Boreas* **28**, 308-325. RS; Atlantic coast of Nova Scotia, Canada; S; *
- 487.Stephan, H.-J. (1987). Form, composition, and origin of drumlins in Schleswig-Holstein. In: Menzies. J. & Rose, J., *Drumlin Symposium*, Balkema: Rotterdam, 335-345. RS; Schleswig-Holstein; P;
- 488.Stephens, J. V., Mitchell, G.H. , Edwards, W. (1953). Geology of the country between Bradford and Skipton. *Memoirs of the Geological Survey of Great Britain*, 180 pp.
- 489.Stephens, N., Creighton, J.R. , Hannon, M.A. (1975). The late-Pleistocene period in north-eastern Ireland: an assessment 1975. *Irish Geographer* **8**, 1-23.
- 490.Stokes, C. R., Clark, C.D. (1999). Geomorphological criteria for identifying Pleistocene ice streams. *Annals of Glaciology* **28**, 67-74. RV; G; *
- 491.Stokes, C. R., Clark, C.D. (2002). Are long subglacial bedforms indicative of fast ice flow? *Boreas* **31**, 239-249. RS; north of Dubawnt Lake, District of Keewatin, Canada; SMG; *

492. Stokes, C. R., Clark, C.D. (2003). Laurentide ice streaming on the Canadian Shield: a conflict with the soft-bedded ice stream paradigm? *Geology* **31**, 347-350. RS; north of Dubawnt Lake, District of Keewatin, Canada; P; *
493. Stokes, C. R., Clark, C.D. , Winsborrow, M.C.M. (2006). Subglacial bedform evidence for a major palaeo-ice stream and its retreat phases in Amundsen Gulf, Canadian Arctic Archipelago. *Journal of Quaternary Science* **21**, 399-412. RS; Amundsen Gulf, Canadian Arctic Archipelago; P; *
494. Stone, G. H. (1880). The kame of Maine. *Proceeding of the Boston Society of Natural History* **20**, 434.
495. Sugden, B. E., John, B.S. (1976). Glaciers and landscape. A geomorphological approach. *Edward Arnold, London*, 376 pp.
496. Sutinen, R., Hyvönen, E., Närhi, P., Haavikko, P., Piekkari, M., Middleton, M. (2010). Sedimentary anisotropy diverges from flute trends in south-east Finnish Lapland. *Sedimentary Geology* **232**, 190-197. RS; Lapland, Finland; SM; *
497. Synge, F. M. (1970). The Pleistocene period in Wales. In: *The Glaciations of Wales and adjoining regions*. Ed. C.A. Lewis. *Longman*, 12, 315-350.
498. Synge, F. M. (1979). Quaternary glaciation in Ireland. *Prospecting in areas of glaciated terrain, Inst. Of Mining and Metallurgy, Report of symposium of Irish Association for Economic Geology, Dublin, Ireland*, 1-7.
499. Synge, F. M. (1979). Quaternary glaciation in Ireland. *Quaternary Newsletter*, 1-18.
500. Synge, F. M., Stephens, N. (1960). The Quaternary period in Ireland - an assessment, 1960. *Irish Geographer* **4**, 121-130.
501. Tarr, R. S. (1894). The origin of drumlins. *American Geologist* **18**, 393-407.
502. Tarr, R. S. (1898). The Physical Geography of New York. Part IV: the influence of the glacial period upon topography. *Bullettin of the American Geographical Society* **30**, 184-225.
503. Tarr, R. S. (1898). The Physical Geography of New York. Part IV: the influence of the glacial period upon topography. *Bullettin of the American Geographical Society* **30**, 184-225. RS; NYS, USA; SMGP; *
504. Taylor, F. B. (1924). Moraines of St. Lawrence Valley. *Journal of Geology* **32**, 641-667.
505. Thomas, G. S. P., Chiverrell, R.C. (2007). Structural and depositional evidence for repeated ice-marginal oscillation along the eastern margin of the Late Devensian Irish Sea Ice Stream. *Quaternary Science Review* **26**, 2375-2405. *
506. Thwaites, F. T. (1946). Outline of glacial geology. *Edward Bros.*
507. Tikkainen, M. (1988). Recent drumlin research. *Boreas - Boreas Book Review* **17**, 427-428. RV;
508. Todd, B. I., Valentine, P.C., Longva, O. , Shaw, J. (2007). Glacial landforms on German Bank, Scotian Shelf: evidence for Late Wisconsinian ice-sheet dynamics

- and implications for the formation of De Geer moraines. *Boreas* **36**, 148-169.
RS; Scotian Shelf, Canada; P; *
- 509.Trenhaile, A. S. (1971). Drumlins: their distribution, orientation and morphology. *Canadian Geographer* **15**, 113-126. RS; southern Ontario, Canada; M; *
- 510.Trenhaile, A. S. (1975). The morphology of a drumlin field. *Annals of the Association of the American Geographers* **65**, 297-312. RS; Guelph (2) and Galt-Hamilton (1), Ontario; MG; *
- 511.Trotter, F. M., Hollingworth, S.E. (1932). The geology of the Brampton district. *Memoirs of the Geological Survey of England and Wales*, 223 pp.
- 512.Trotter, F. M., Hollingworth, S.E., Eastwood, T. , Rose, W.C.C. (1936). Gosforth district. *Memoirs of the Geological Society of Great Britain*, 136 pp.
- 513.Tyrrell, J. B. (1890). Post-Tertiary deposits of Manitoba and the adjoining territories of northwestern Canada. *Bulletin of the Geological Society of America* **1**, 395-410.
- 514.Tyrrell, J. B. (1897). Report on the Doobaunt, Kazan and Ferguson Rivers and the north-west coast of Hudson Bay and on two overland routes from Hudson Bay to Lake Winnipeg. *Geological Survey of Canada, Annual Report 1896, new series*, 9F, 618.
- 515.Upham, W. (1879). Glacial drift in Boston and its vicinity. *Proceedings of the Boston Natural History Society* **20**, 220-234.
- 516.Upham, W. (1888). Marine shells and fragments of shells in drumlins near Boston. *Proceedings of the Boston Natural History Society* **24**, 127-141.
- 517.Upham, W. (1889). The structure of drumlins. *Proceedings of the Boston Natural History Society* **24**, 228-242.
- 518.Upham, W. (1891). Criteria of englacial and subglacial drift. *American Geologist* **3**, 376-385.
- 519.Upham, W. (1892). Conditions of accumulation of drumlins. *American Geologist* **10**, 339-362.
- 520.Upham, W. (1892). Inequality of distribution of the englacial drift. *Bulletin of the Geological Society of America* **3**, 134-148.
- 521.Upham, W. (1892). The origin of drumlins. *Proceedings of the Boston Natural History Society* **26**, 2-17.
- 522.Upham, W. (1893). Drumlin near Boston. *Appalachia* **7**, 39-48.
- 523.Upham, W. (1894). Marine shells fragments in drumlins near Boston. *American Journal of Science* **47**, 238-239. RV; various east US;
- 524.Upham, W. (1894). The Madison type of drumlins. *American Geologist* **14**, 69-83.
- 525.Upham, W. (1895). Drumlin accumulation. *American Geologist* **15**, 194-195.
- 526.Upham, W. (1895). Drumlin and marginal moraines of ice-sheets. *Bulletin of the Geological Society of America* **7**, 17-30.

- 527.Upham, W. (1897). Drumlins containing or lying on modified drift. *American Geologist* **20**, 383-387.
- 528.Upham, W. (1898). Valley moraines and drumlins in the English Lake District. *American Geologist* **21**, 165-170.
- 529.Upham, W. (1979). The till in New England. *Geological Magazin* **6**, 283-284.
- 530.Upham, W. (1989). Drumlin in Glasgow. *American Geologist* **21**, 235-243.
- 531.Van der Meer, J. J. M. (1983). A recent drumlin with fluted surface in the Swiss Alps. In: *Evenson, E.B., Schluchter, Ch. & Rabassa, J., Till and related deposits, Proceeding of the INQUA Symposia on the Genesys and Lithology of Quaternary Deposits/USA 1981/Argentina1982*, 105-109.
- 532.Van der Meer, J. J. M., van Tatenhove, G.M. (1992). Drumlins in a full alpine setting: some example from Switzerland. *Geomorphology* **6**, 59-68. RS; Wallis, Switzerland; *
- 533.Van Landeghem, K. J. J., Wheeler, A.J., Mitchell, N.C. (2009). Seafloor evidence for palaeo-ice streaming and calving of the grounded Irish Sea Ice Stream: implications for the interpretation of its final deglaciation phase. *Boreas* **38**, 119-131. RS; offshore Anglesey, Britain; P; *
- 534.Varep, E. (1964). The landscape regions of Estonia. *Publications on Geography, 4, on the occasion of the 20th International Geographical Congress, Trans. Tartu State University*, 3-28.
- 535.Vernon, P. (1966). Drumlins and Pleistocene ice flow over the Ards Peninsula/Strangford Lough area, Co. Down, Ireland. *Journal of Glaciology* **6**, 401-409. RS; County Down, NE Ireland; P; *
- 536.Walker, M. J. C. (1973). The nature and origin of a series of elongated ridges in the Morley Flats area of the Bow Valley, Alberta. *Canadian Journal of Earth Science* **10**, 1340-1346.
- 537.Wankiewicz, P. (1976). Formation of ice-moulded features. *The Albertan Geographer* **12**, 61-70.
- 538.Wardlaw, N. C., Stauffer, M.R. , Hoque, M. (1969). Striations, giant grooves, and superposed drag folds, Interlake area, Manitoba. *Canadian Journal of Earth Science* **6**, 577-593.
- 539.Warren, P. T., Price, D., Butt, M.J.C. , Smith, E.G. (1984). Pleistocene and recent. In: *Geology of the country around Rhyl and Denbigh, Memoir for the 1:50000 geological sheets 95 and 107 and parts of sheets 94 and 106, British Geological Survey of England and Wales, H.M.S.O.*, 9, 147-166.
- 540.Warren, W. P. (1992). Drumlin orientation and the pattern of glaciation in Ireland. *Sveriges Geologiska Undersokning* **81**, 359-366. RS; Ireland; P;
- 541.Wedd, C. B., King, W.B.R. (1924). The geology of the area around Flint, Hawarden, and Caergwrle. *Memoirs of the Geological Survey of England and Wales*, **152**, 154.

- 542.Wedd, C. B., Smith, B. , Wills, L.J. (1928). Coal Measures and newer formations. *In: The geology of the country around Wrexham, Memoirs of the geological Survey of England and Wales*, 2, 237 pp.
- 543.Wedd, C. B., Smith, B., King, W.B.R. , Wray, D.A. (1929). Glacial deposits. *In: The country around Oswestry, Memoirs of the Geological Survey of England & Wales, explanation of sheet*, 137, 234 pp.
- 544.Wellner, J. S., Heroy, D.C. , Anderson, J.B. (2006). The death mask of the antarctic ice sheet: comparison of glacial geomorphic features across the continental shelf. *Geomorphology* **75**, 157-171. RS; Antarctica shelves; *
- 545.Wellner, J. S., Lowe, A.L., Shipp, S.S. , Anderson, J.B. (2001). Distribution of glacial geomorphic features on the Antarctic continental shelf and correlation with substrate: implications for ice behaviour. *Journal of Glaciology* **47**, 397-411. RS; Antarctica shelves; *
- 546.Werner, B. T., Kokurek, G. (1999). Bedform spacing from defect dynamics. *Geology* **27**, 727-730. RS; *
- 547.White, G. W. (1972). Engineering implications of stratigraphy of glacial deposits. *24th International geological Congress, sect 13, Eng. Geol.*, 76-82.
- 548.White, G. W. (1974). Buried glacial geomorphology. *In: Coates, D.R., Glacial Geomorphology, State University of New York, Binghampton, New York*, 331-350.
- 549.Whiteman, C. A. (1981). Drumlins around Appleby-in-Westmorland, Cumbria. *Field Guide to Eastern Cumbria, Quaternary Research Association*, 107-113.
- 550.Whittecar, G. R., Mickelson, D.M. (1977). Sequence of till deposition and erosion in drumlins. *Boreas* **6**, 213-217. RS; Wisconsin, USA; S; *
- 551.Whittecar, G. R., Mickelson, D.M. (1979). Composition, internal structures, and a hypothesis of formation for drumlins, Waukesha County, Wisconsin, United States. *Journal of Glaciology* **22**, 357-371. RS; Waukesha County, Wisconsin, USA; SG; *
- 552.Wilson, A. C., Mathers, S.J. , Cannell, B. (1982). The Middle Sands, a prograding sandur succession: its significance in the glacial evolution of the Wrexham-Shrewsbury region. *Report of the Institut of Geological Science*, 82, 1, 30-35.
- 553.Wilson, G. V., Edwards, W., Knox, J., Jones, R.C.B. , Stephens, J.V. (1935). The geology of the Orkneys. *Memoirs of the Geological Survey of Scotland*, 3, 205 pp.
- 554.Wilson, H. E. (1972). Quaternary. *In: Regional geology of Northern Ireland, Belfast, H.M.S.O.*, 81-91.
- 555.Wilson, J. T. (1938). Drumlins of the south-west Nova Scotia. *Transactions of the Royal Society of Canada* **32**, 41-47.
- 556.Winguth, C., Mickelson, D.M., Colgan, P.M., Laabs, B.J.C. (2004). Modeling the deglaciation of the Green Bay Lobe of the southern Laurentide Ice Sheet. *Boreas* **33**, 34-47. RS; Green Bay Lobe, Winsconsin, USA; P; *

- 557.Wright, G. F. (1875). Indian Ridge and its continuations. *Essex Institut Bulletin* **7**, 165-168.
- 558.Wright, G. F. (1876). Some remarkable gravel ridges in the Merrimack Valley. *Proceeding of the Boston Natural History Society* **19**, 47-63.
- 559.Wright, G. F. (1879). The kames and moraines of New England. *Proceeding of the Boston Natural History Society* **20**, 210-220.
- 560.Wright, H. E. (1957). Stone orientation in Wadena drumlin field, Minnesota. *Geografiska Annaler* **39**, 19-31. RS; Wadena, W-central Minnesota;
- 561.Wright, H. E. (1962). Role of the Wadena lobe in the Wisconsin glaciation of Minnesota. *Bulletin of the Geological Society of America* **73**, 73-100. RS; Wadena County, Minnesota; SM; *
- 562.Wright, H. E., Ruhe, R.V. (1965). Glaciation of Minnesota and Iowa. In: *The Quaternary of the United States. 7 Congress of the International Association for quaternary Research, Boulder, Colorado, Princeton University Press, H.E. Wright & D.G. Frey (eds.)*, 29-41.
- 563.Wright, W. B. (1912). The drumlin topography of south Donegal. *Geological Magazine* **9**, 153-159. RS; Ireland; SMGP; *
- 564.Wysota, W. (1994). Morphology, internal composition and origin of drumlins in the southeastern part of the Chelmno-Dobrzy Lakeland, North Poland. *Sedimentary Geology* **91**, 345-364. RS; Chelmno-Dobrzyn Lakeland, Poland; SMG; *
- 565.Zakrzewska Borowiecka, B., Erickson, R.H. (1985). Wisconsin drumlin field and its origin. *Zeitschrift fur Geomorphologie* **29**, 417-438. RS; eastern Wisconsin (USA); M;
- 566.Zelcs, V., Dreimanis, A. (1997). Morphology, internal structure and genesis of the Burtnieks drumlin field, Northern Vidzeme, Latvia. *Sedimentary Geology* **111**, 73-90. RS; Burtnieks field, N Vidzeme, Latvia; SMG; *